

WATER QUALITY SURVEY OF TILE DRAINAGE  
DISCHARGES IN THE SAN JOAQUIN RIVER BASIN

California Regional Water Quality Control Board  
Central Valley Region  
3443 Routier Road  
Sacramento, California 95827-3098

October 1988



CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL VALLEY REGION

Board Members

Karen Vercruse, Chair  
Clifford C. Wisdom, Vice Chair  
John S. Corkins  
Hugh V. Johns  
Wendy Johnston  
Robert N. Klein, Sr.  
Paul E. Simpson  
W. Steve Tompkins  
W. M. "Walt" Winn

William H. Crooks, Executive Officer

The staff involved in the preparation of this report are:

Jeanne Chilcott, Associate Land and Water Use Analyst  
Dennis Westcot, Senior Land and Water Use Analyst  
Karen Werner, Engineering Assistant  
Kathryn Belden, Geologist Assistant

Special acknowledgment goes to the staff of the Sacramento Office of the Regional Board who assisted in the field data collection. Special thanks goes to the land owners and the water and drainage districts within the basin without whose cooperation this program would not have been possible.



## TABLE OF CONTENTS

	<u>PAGE</u>
I. SUMMARY AND RECOMMENDATIONS	1
II. INTRODUCTION	4
a. Background	4
b. Purpose	5
c. Scope	5
III. PROCEDURES	6
a. Sampling	6
b. Quality Assurance	7
IV. FORMAT FOR DATA PRESENTATION	8
V. DISTRIBUTION OF MAJOR IONS AND TRACE ELEMENTS	11
a. Major Ions	11
b. Trace Elements	17
REFERENCES	26
APPENDIX A     Sampling locations within the San Joaquin River Basin	27
APPENDIX B     Water Quality Data for the Sampling Sites Within the San Joaquin River Basin	41

## LIST OF TABLES

Table 1 Physical Properties and Major Ions in Subsurface Tile Drainage Samples Collected in the San Joaquin River Basin, 1986-1987	11
Table 2 Physical Properties and Major Ions in Subsurface Tile Drainage Samples Presented by Discharge Zone, 1986-1987	12
Table 3 Summary of Trace Element Concentrations in Subsurface Tile Drainage Samples Collected in the San Joaquin River Basin, 1986-1987	17
Table 4 Trace Element Concentrations in Subsurface Tile Drainage Samples Presented by Discharge Zone, 1986-1987	18
Table 5 Frequency Distribution for Selected Trace Element Concentrations Presented by Discharge Zone	19

## LIST OF FIGURES

PAGE

Figure 1	Discharge Zones Monitored During the Central Valley Regional Water Quality Control Board Tile Drainage Survey, 1986-1987	9
Figure 2	Chemical Composition of Subsurface Tile Drainage in Zone D	14
Figure 3	Chemical Composition of Subsurface Tile Drainage in Zone E	15
Figure 4	Chemical Composition of Subsurface Tile Drainage in Zone F	16
Figure 5	Frequency Distribution for Arsenic in Subsurface Tile Drainage Water	21
Figure 6	Frequency Distribution for Boron in Subsurface Tile Drainage Water	21
Figure 7	Frequency Distribution for Chromium in Subsurface Tile Drainage Water	23
Figure 8	Frequency Distribution for Molybdenum in Subsurface Tile Drainage Water	23
Figure 9	Frequency Distribution for Nickel in Subsurface Tile Drainage Water	25
Figure 10	Frequency Distribution for Selenium in Subsurface Tile Drainage Water	25

## I. SUMMARY AND RECOMMENDATIONS

During April and June 1986, and June 1987, staff of the Central Valley Regional Water Quality Control Board completed three extensive surveys of subsurface drainage water being discharged from individual tile drainage systems in the San Joaquin River Basin. Additional data was collected from open waterways flowing into, through and past the study area. Results from 314 sites have been delineated by seven zones represented by either geologic setting or drainage patterns. The zones presented include Zone A (western portion of the Delta), Zone B (areas east of the San Joaquin River), Zone C (areas within San Joaquin County and west of the San Joaquin River), Zone D (areas in Stanislaus County west of the San Joaquin River), Zone E (an area west of the San Joaquin River that is primarily in the Basin Trough as described by Deverel et al.(1984)), Zone F (discharges located in the Panoche Fan area that flow toward the San Joaquin River), and Zone G (open waterways which flow into, through and past the study area).

Review of analytical results presents a general overview of subsurface drainage water quality in the San Joaquin River Basin and also areas and constituents of potential concern to water quality. Information from the analyses of major ions portrays the subsurface drainage water as alkaline with a pH greater than 7.0 and with median specific conductances between zones ranging from 865 umhos/cm in Zone B to 5,940 umhos/cm in Zone F. Drainage along the westside of the river downstream of the Grassland area has either sodium or non-dominant cation makeup with 75 percent of the samples showing no anion dominance and roughly 15 percent showing slight sulfate dominance. The drainage east of the San Joaquin River also shows either sodium or non-dominant cation composition. The eastside drainage water does not appear to have dominant anions. Water from the Panoche Fan Area, however, shows greater than 60 percent sodium dominance for cations. In addition, 95 percent of the samples show sulfate dominance. Over 50 percent of these drain water samples are potentially saturated or close to saturation with calcium sulfate (gypsum).

Thirteen trace elements were analyzed on most of the samples collected. These trace elements included arsenic, boron, cadmium, chromium, copper, lead, mercury, manganese, molybdenum, nickel, selenium, silver and zinc. With the exception of silver, detectable levels of each element were found in at least one sample. Only six of these trace elements, arsenic, boron, chromium, molybdenum, nickel and selenium were detected frequently. Concentrations varied throughout the discharge zones. Arsenic concentrations ranged from less than 1 ug/L to 63 ug/L with most of the positive values associated with Zones B and E which are areas whose soils are predominantly derived from the Sierra Nevada. High boron concentrations were detected in all subsurface drainage from the western side of the San Joaquin River and Delta. Little or no boron was detected in samples from Zones B and E. Median boron concentrations in the zones west of the San Joaquin River and Delta ranged from 1.2 mg/L in Zone D to 8 mg/L in Zone F. These median values exceed the 0.7 mg/L level considered safe for all types of agriculture including sensitive crops(Ayers and Westcot, 1985).

Chromium concentrations ranged from less than 1 to 268 ug/L for all samples collected in the Panoche Fan Area where 85 percent of the samples contained detectable levels of chromium with a median value of 18 ug/L. Elevated molybdenum concentrations were found in samples taken from the eastside areas(Zone B), basin trough area(Zone E) and the Panoche Fan Area(Zone F). Molybdenum concentrations in these areas ranged from 1 to 724 ug/L. Nickel, although detected in every zone except the Western Delta(Zone A), was predominantly reported below the 5 ug/L detection limit. The Panoche Fan Area(Zone F) showed the greatest number of positive nickel results, yet over 80 percent of the nickel concentrations measured in this zone were below 10 ug/L. Selenium was detected in at least one sample from each discharge zone. The highest concentrations were detected in samples collected west of the San Joaquin River. A majority of these samples were from the Panoche Fan area which also showed the highest median selenium concentration at 108 ug/L.

Although additional elements were detected during the surveys, reported concentrations were either close to the detection limit or instances of positive results appeared isolated. Recommendations for future monitoring programs can be summarized by element:

Arsenic: Although detected throughout the study area, further monitoring should be limited to areas showing elevated concentrations with the emphasis on seasonal changes. No routine monitoring of arsenic should be proposed for dischargers unless the occurrence of arsenic becomes more widespread;

Boron: Continued discharger monitoring of boron is essential as it occurs frequently at highly elevated levels. Continued monitoring of boron on a seasonal basis would help determine impacts on agricultural supply waters. Boron monitoring on discharges from the eastside of the basin is of limited value;

Cadmium: Further confirmation sampling should be done at all sites showing concentrations in excess of the detection level used in this survey. Further monitoring of discharge sources should be considered when an acceptable method of analysis can be established which would provide information on the low level concentrations;

Chromium: Since total recoverable chromium was analyzed during the survey, follow up monitoring should distinguish both hexavalent and trivalent forms of chromium in areas of elevated concentrations. This monitoring would better relate to existing water quality criteria. Discharger monitoring should continue to include total chromium until such time as further studies can be completed;

Copper: Only 24 sites out of the 314 sampled showed copper at concentrations greater than 10 ug/L. Confirmation samples should be collected before further discharger monitoring is initiated. This additional study should include dissolved as well as total recoverable copper in addition to water hardness values;

Lead: Few samples had detectable levels of lead though positive values were scattered throughout the study area. Further investigation is needed to establish the reasons for elevated concentrations in the selected samples. Further widespread sampling should not be instituted until significantly lower detection levels can be achieved in the salty drainage water;

Manganese: Scattered positive values make recommendations difficult. Future studies should first focus on confirming the elevated levels already detected and secondly focus on downstream monitoring to determine if elevated concentrations are appearing in the San Joaquin River and Delta. Further discharger monitoring should not be instituted until these studies are completed and more information is known about the criteria levels needed to protect aquatic resources;

Mercury: Fourteen sites showed detectable levels of mercury ranging from 0.7 to 2.3 ug/L. These positive results should be confirmed and limited monitoring in the vicinity of the areas should be conducted. Because of the scattered nature of the areas where positive values were found, no discharger monitoring is proposed until the actual levels or sources are better defined;

Molybdenum: Discharger monitoring of molybdenum should be continued to determine the impact of elevated drainage water concentrations on agricultural water supplies. Open waterways in the Grassland Area show some canals exceeding the 10 ug/L water quality criterion suggested for irrigated agriculture (Ayers and Westcot, 1985). Seasonal variations in concentrations should be measured;

Nickel: Does not appear to be an element of concern. The present survey showed very low levels in the drainage water discharges. Because of its interaction with sediment, only dissolved samples downstream should be used for in-stream monitoring. Further monitoring may be necessary depending upon the limitations proposed in the Delta Hearing process. Discharger monitoring is not proposed at this time;

Selenium: Continued monitoring of selenium is needed to determine the impact of discharge of elevated drainage water concentrations on the aquatic resources. Further limited monitoring for seasonal changes is proposed for areas outside the Panoche Fan Area, however discharger monitoring is only proposed in the Grassland and Panoche Fan Areas;

Silver: Does not appear to be an element present at the detection levels used in this study;

Zinc: Extensive efforts would be needed by dischargers to avoid potential sources of zinc contamination, therefore it is recommended that in-stream monitoring be conducted for zinc in lieu of continued source monitoring. Source monitoring should only be reinstated if the established in-stream criterion is being approached or exceeded.

The monitoring programs conducted in this study were for total recoverable trace elements. As most of the water quality criteria

are based on acid-soluble samples, it is not recommended that dissolved testing be conducted at the discharge source. First, the data developed for total recoverable becomes the most conservative case and second, the tile drainage discharges are normally free of sediment or other particulate matter which would give greatly different results from those obtained through a total recoverable sample. It is not recommended that the dischargers take on this additional expense until it is clearly shown that the total recoverable sample is not giving a true picture of the total load being discharged by individual tile drainage systems.

## II. INTRODUCTION

### a. Background

The potential impact of agricultural drainage on the beneficial uses of surface waters is being studied(SWRCB, 1987). Programs on the Federal, State and local levels have been initiated to investigate these potential impacts, find solutions and regulate the discharges of agricultural drainage. The State Water Resources Control Board and the Central Valley Regional Water Quality Control Board have initiated efforts to formulate water quality standards and implement regulatory programs.

The Central Valley Regional Water Quality Control Board has the primary responsibility for regulating the discharge of agricultural drainage in the San Joaquin Valley. This program will rely upon the cooperation of local water districts and drainage agencies in regulating agricultural discharges. An important part of formulating programs to control the pollutants in agricultural discharges is information about sources including the geographic distribution of sources and concentrations.

The California Legislature, through the Governor's 1985-86 budget, provided funding to state agencies and the University of California for an intensive look at selenium and its impact in California. Part of the funding was designated specifically for use in monitoring municipal and industrial discharges and agricultural subsurface drainage discharges for selenium and other trace elements. A report on the municipal and industrial discharges has been prepared as a separate report and this report will concentrate on selenium and trace elements in the agricultural subsurface drainage water discharges.

Due to the importance of selenium in the San Joaquin River Basin, the Central Valley Regional Water Quality Control Board sought to sample as many tile drainage sumps or other subsurface drainage discharges at the farm level as possible. This sampling was conducted in cooperation with local water, drainage, and resource management agencies within an area from Fresno County north to Contra Costa County. Prior to this sampling survey, a number of agencies and individuals were sampling the waterways and discharge points, but in most cases these samples represented a combination of tile drainage water, surface runoff from irrigated fields and natural runoff from

surface and ground waters. Additional emphasis was needed on monitoring at the farm level to give the local district managers a reliable data base upon which to make management decisions. To ensure proper quality control and sampling uniformity, all samples were to be collected by the Regional Water Quality Control Boards, and data analysis done in cooperation with the local agencies.

b. Purpose

The purpose is to provide local water management agencies and the Regional Board with sound water quality monitoring data on individual tile drainage systems, including changes in water quality with time. At the same time, this survey provides a data base planned and coordinated on a large geographic basis. The data developed will be used by local agencies and/or the Regional Board to:

- a) develop follow-up water quality monitoring programs in areas where further data is needed;
- b) evaluate existing water quality data programs and the need for increased quality control and quality assurance programs;
- c) develop relationships between monitored parameters to decrease the need for monitoring numerous parameters;
- d) increase the local agency's understanding of the geographical distribution of trace element concentrations within their agency boundaries, and the Regional Board's understanding of the geographical distribution of trace element concentrations throughout the San Joaquin Valley and Delta;
- e) evaluate management options available to minimize the discharge of toxic elements. Evaluation will rely heavily on flow data being developed by the local agencies; and
- f) evaluate the need for developing regulatory programs.

c. Scope

A survey was conducted of all tile drainage discharges within cooperating local water management agency boundaries. The survey area was the San Joaquin River Basin and Delta from Contra Costa County in the north to Fresno County in the south. Samples were collected once in April 1986 to represent the early irrigation season and a second time in June 1986 to represent the mid-irrigation season. The program was expanded in June 1987 to include 100 additional sampling locations as well as to confirm high levels of selenium detected during the 1986 surveys.

Sampling was done in cooperation with local agency personnel. Sites were sampled for standard minerals and trace elements. Regional Board staff were responsible for transport of samples to laboratories. Analyses were done by the Department of Water Resources Laboratory at Bryte (trace elements), U. S. Bureau of Reclamation Laboratory in

Sacramento (trace elements), South Dakota State University Laboratory in Brookings, SD (trace elements), Anlab Analytical Laboratory in Sacramento and California Water Laboratory in Modesto (standard minerals). In addition to laboratory internal QA/QC programs, a quality assurance program was also operated by the Regional Board. The program included site-anonymous sample IDs, duplicates, spikes, check samples and splits sent to different laboratories.

Data analysis was conducted jointly with local water and drainage management agencies. Data analysis includes interpretation of data in light of conditions when sampling was done, comparison of data with existing data, and assessment of data quality.

### III. PROCEDURES

#### a. Sampling

During the three synoptic surveys, water samples were collected for selected minerals and metals from subsurface tile drain sumps, gravity tile drains and open drains receiving tile drainage. In addition to collecting samples for laboratory analyses, field work included electrical conductance (EC) and temperature measurements at each site and pH measurements at selected sites. Sample collection and preservation were conducted in accordance with U. S. Environmental Protection Agency and U. S. Geological Survey guidelines as outlined in National Handbook of Recommended Methods for Water Data Acquisition. For each of the surveys conducted for this study, the elements of concern were divided into three groups, each having similar collection and preservation techniques. The groups consisted of (1) minerals, (2) trace elements, and (3) selenium.

The minerals analyses requested were similar for all surveys. During the first and third surveys, minerals analyses consisted of EC, boron, chloride, sulfate, and total alkalinity. During the second survey, the minerals analyses included all analyses of the first synoptic survey as well as calcium, magnesium, sodium, potassium, carbonate alkalinity, bicarbonate alkalinity, and total hardness. Methods of collection and preservation were identical for all surveys with the only difference being in sample container size -- 1 liter for the partial scan and 1/2 gallon for the full mineral scan. In both cases, acid-washed polyethylene bottles were supplied by the laboratory. Containers used to collect the sample, as well as the sample bottle, were rinsed three times with water before the final collection. Once capped, the bottle was stored immediately on ice and transferred to the analyzing laboratory within 24 hours.

Trace element analyses included total recoverable arsenic, cadmium, copper, chromium, lead, manganese, nickel, molybdenum, silver, zinc, and selenium. The samples were collected in either 1 pint or 1 liter nitric acid-washed polyethylene bottles. The size depended on the analyzing laboratory. The same collection procedures were applied to the trace elements as were applied to the minerals, including each container being rinsed three times before the sample was taken. Since the analyses were for total concentration, each sample was acidified

with one ml Ultrex (ultra-pure) nitric acid per pint within 4 hours. The sample was then stored in a cool dark room until transferred for laboratory analysis.

Selenium samples were collected in 1 pint nitric acid-washed polyethylene bottles provided by the Regional Board. Sample collection was identical to that for trace elements, including the acidification process. The samples were again stored in a cool dark room until transfer to the analyzing laboratory. Selenium analyses were conducted by three separate laboratories -- U.S. Bureau of Reclamation (USBR), California Department of Water Resources (DWR), and South Dakota State University (SDSU).

Field methods were modified during the June 1987 survey to include an additional sample from each of the sample locations for mercury analysis. The mercury sample was collected in a washed and acid rinsed amber glass bottle that was rinsed three times with the drainage water prior to sample collection. The mercury sample was not filtered and was preserved with a potassium dichromate solution.

#### b. Quality Assurance

The Regional Board Agricultural Unit practices a standard quality assurance procedure with all its sampling programs. The procedure includes submitting duplicates, spikes, and standards with all sample sets submitted to analyzing laboratories. Additional blank samples containing 2 ml Ultrex (ultra-pure) nitric acid in 500 ml distilled water are also submitted at random to check possible contamination problems.

For minerals, the procedure includes collecting a minimum of 10 percent duplicates. The duplicates are submitted without being identified as such to provide a true measure of the laboratory capability. In addition, one mineral check sample is submitted with each sampling run of 10 or more samples. The check samples contain known quantities of sodium, calcium, magnesium, bicarbonate, chloride, sulfate, and boron, and are prepared by Regional Board staff. During the third survey, selected duplicate samples were spiked with known quantities of boron and chloride. These blind spikes were used as an arbitrary check on the ability of the laboratory to recover salts from a complex matrix.

Trace element (including selenium) quality assurance also includes the collection of 10 percent duplicates. However, for trace elements, only half of the extra samples are actually submitted as duplicates. The other half of the samples undergo a spiking procedure developed and conducted by Regional Board staff. The duplicate in the set is spiked with concentrations roughly equal to that expected in the original sample. In this manner, laboratory recoveries can be calculated.

In addition to the standard quality assurance methods during the synoptic survey one other method was incorporated -- samples from the same sites were submitted to more than one laboratory for the same

analysis. The extra step was an attempt to develop a comparison basis for sample sets sent to different laboratories.

All quality assurance samples analyzed by the laboratories fell within acceptable ranges of accuracy before being included in the final data set. A full analyses of the quality assurance results is in the Regional Board files.

#### IV. FORMAT FOR DATA PRESENTATION


Three comprehensive surveys of tile drainage in the San Joaquin Valley were conducted by Regional Board staff and local agency personnel in April and June, 1986 and in June 1987. Water samples were collected at a total of 314 sites which included subsurface tile drainage sumps, surface drains receiving tile drainage water, and creeks entering the agricultural drainage problem areas. Most of the collection was done with the assistance of drainage district personnel familiar with site locations.

This report focuses on reporting the laboratory analysis of the major-ion and trace-element data for subsurface tile drainage discharges in the San Joaquin River Basin. Additional data has been collected by the U. S. Bureau of Reclamation and the U. S. Geological Survey for shallow groundwater and selected subsurface drainage discharges, however that data is not reported here as the focus of this study was to monitor only actively discharging subsurface tile drainage systems.

The sampling sites were widely scattered throughout the San Joaquin River Basin and Delta. Previous studies (Deverel et al., 1984) have shown that shallow groundwater quality is closely associated with the differing soils and topographic position in the basin. The data collected in this study have not been analyzed for this association. The data have been grouped into 7 drainage problem zones within the basin. The discharge zones established for this study are partly set on common discharge points into the River or its tributaries but often are set on the existence of localized areas of shallow groundwater which has necessitated the installation of tile drainage. This approach gives a better picture of the quality of discharges entering the San Joaquin River from a particular area. In most cases one zone may represent subsurface discharges from one or more of the physiographic areas defined by Deverel et al. (1984).

The data is presented by the 7 zones. One of these zones (Zone G) represents the open waterways within the basin and does not characterize subsurface tile drainage water. In Zone F, there are 12 samples that were taken from open drains within this area and do not characterize the subsurface discharges; these samples while noted in the data tables, were not included in the data analysis. The discharge zones established (Fig. 1) and their characteristics are:

Zone A Subsurface tile drains along the western portion of the Delta. Most are located within Contra Costa County from the Clifton



**Figure 1. Discharge Zones Monitored During the Central Valley Regional Water Quality Control Board Tile Drainage Survey, 1986 - 1987.**

Court Forebay north to the Contra Costa County Water District Intake Canal in Rock Slough. Eleven discharge sites were sampled within this zone;

- Zone B Subsurface tile drains in scattered locations on the Eastern side of the San Joaquin River in Stanislaus and Merced Counties. The majority of these sites are near (within 2 miles) the San Joaquin River or a main eastside tributary. These drains are normally associated with localized zones of high groundwater rather than a widespread shallow groundwater condition more common to the western portion of the river basin. Nine widely scattered sites were sampled in this zone;
- Zone C Subsurface tile drains in the western portion of San Joaquin County principally from the Delta Mendota pumping plant to just east of the City of Tracy. The majority of the drains lie along a line approximately 1 - 3 miles upslope from the San Joaquin River. Fourteen discharge sites were sampled within this zone;
- Zone D Subsurface tile drains in the portion of Stanislaus County that lies west of the San Joaquin River. The majority of the drains lie approximately 1 - 4 miles upslope of the San Joaquin River and principally between the towns of Patterson and Newman and east of State Highway 33. Twenty-five discharge sites were sampled within this zone;
- Zone E Subsurface tile drains in the portion of Merced County that is west of the San Joaquin River and lies primarily in the basin trough, an area whose sediment is derived chiefly from the Sierra Nevada to the east (Deverel et al., 1984). The drains are scattered throughout this zone which is bounded on the South by the City of Dos Palos and on the west by the old Santa Fe Grade Railroad right-of-way. Eighteen discharge sites were monitored within this zone;
- Zone F Subsurface tile drains located principally in the Panoche Fan Area and discharge their flows through the Grassland Area to the San Joaquin River. The drains are located along a line from the town of Mendota to Los Banos with drains both upslope and downslope of the Delta-Mendota Canal. Scattered drains are located between Los Banos and the City of Gustine. A total of one hundred and seventy-three discharge sites were monitored within this zone;
- Zone G These sites are all open waterways that either drain into the subsurface drainage areas or directly into the San Joaquin River. Because of the diversity of concentrations likely in these open waterways the data for this zone has been separated into 3 types of open waterways. The first is the San Joaquin River, which receives all the drainage water, the second is the open channels within the Grasslands Area which receive varying portions of agricultural drainage water and the third is selected creeks from the Coast Range that drain into the

drainage area or directly into the San Joaquin River. A total of sixty-four sites were monitored during this survey.

The discharge zones designated in this report provide an initial basis for assessing priorities for future water quality sampling and the differences in water quality for the various zones in the basin. Actual sampling locations have been presented by zone in Appendix A. Water quality assessment and comparisons were made on each of the discharge zones. Assessment of general chemical composition of the subsurface drainage water was based on the relative concentrations of the major ions - calcium, magnesium, sodium, potassium, bicarbonate plus carbonate, chloride, and sulfate in each drainage zone. In addition to the major ions, an assessment was made of 13 trace elements including selenium. All water quality data for both standard minerals and trace elements for each sampling location is presented in Appendix B.

## V. DISTRIBUTION OF MAJOR IONS AND TRACE ELEMENTS

### a. Major Ions

Median (50 percent of the values are higher and 50 percent lower) and ranges for all major ions and related measurements are summarized for all of the subsurface tile drainage discharge samples collected (Table 1) and for each of the different discharge zones except Zone G (Table 2). The median specific conductance and field measured pH indicate

Table 1. Physical Properties and Major Ions in Subsurface Tile Drainage samples collected in the San Joaquin River Basin, 1986 - 1987.

	Minimum	Median	Maximum
pH	6.2	8.0	8.6
EC (umhos/cm)	580	4600	23000
Temperature (F)	57	64	89
Total Dissolved Solids (mg/l)	400	3400	22800
Ca (mg/L)	13	300	950
Mg (mg/L)	9	100	460
Na (mg/L)	37	520	4000
K (mg/L)	0.4	3.9	15
Cl (mg/L)	11	490	4900
SO <sub>4</sub> (mg/L)	15	1788	12000
CO <sub>3</sub> (mg/L)	0	0	50
HCO <sub>3</sub> (mg/L)	80	210	760
Total Alkalinity (mg/L)	80	210	760
Hardness (mg/L)	68	1100	3300

Table 2. Physical Properties and Major Ions in Subsurface Tile Drainage Samples  
Presented by Discharge Zone, 1986 - 1987.

	Zone A			Zone B			Zone C		
	MIN	MED	MAX	MIN	MED	MAX	MIN	MED	MAX
pH	7.7	8.1	8.3	7.9	8.5	8.6	8.0	8.2	8.5
EC (umhos/cm)	780	1749	2870	580	865	2300	1900	3025	4230
TEMP (F)	63	64	70	64	65	69	63	64	69
TDS (mg/L)	500	1100	1700	480	710	1500	1200	1800	2900
Ca (mg/L)	23	33	82	13	47	97	38	130	200
Mg (mg/L)	17	55	90	8.6	19	45	38	72	110
Na (mg/L)	86	190	360	37	95	450	170	370	600
K (mg/L)	0.4	1.5	5.1	1.5	2.8	6.7	0.6	1.7	3.3
Cl (mg/L)	87	230	540	29	67	360	260	522	840
SO4 (mg/L)	110	185	450	15	54	210	160	450	1421
CO3 (mg/L)	0	0	0	0	8	20	0	0	16
HCO3 (mg/L)	80	310	380	110	240	760	160	320	420
T.Alk (mg/L)	80	310	380	110	255	760	160	320	420
Hard (mg/L)	190	300	540	68	205	410	230	530	1000
	Zone D			Zone E			Zone F		
	MIN	MED	MAX	MIN	MED	MAX	MIN	MED	MAX
pH	6.2	8.1	8.6	8.0	8.3	8.5	6.6	8.0	8.5
EC (umhos/cm)	630	2100	7500	880	1500	8000	690	6100	23000
TEMP (F)	58.5	66	89	60	63	68	57	64	71
TDS (mg/L)	500	1400	4800	680	930	5600	400	4800	22800
Ca (mg/L)	36	100	370	65	88	950	48	420	790
Mg (mg/L)	19	58	270	22	46	180	20	140	460
Na (mg/L)	75	270	1000	120	160	1300	55	820	4000
K (mg/L)	1.1	2.9	5.5	1.3	2.6	9.7	0.4	4.9	15
Cl (mg/L)	65	240	1400	87	240	1100	11	2400	4900
SO4 (mg/L)	92	335	2300	94	200	2400	68	2336	12000
CO3 (mg/L)	0	0	50	0	0	16	0	0	40
HCO3 (mg/L)	100	240	500	120	200	290	100	190	650
T.Alk (mg/L)	100	260	500	120	220	420	92	190	650
Hard (mg/L)	190	490	1800	90	330	1300	100	1790	3300

that most of the subsurface drainage water is alkaline (a pH greater than 7) and slightly saline, although median specific conductance (EC) varied between discharge zones. For example, Zones A, B, and E showed a median EC of less than 2,000 umhos/cm. Data for EC from the other zones indicates that Zone F, the Panoche Fan, had a significantly higher major ion concentration (median EC of 6,100 umhos/cm) followed by Zone C (San Joaquin County) at 3,025 and Zone D (Stanislaus County) at 2,100 umhos/cm.

Water hardness is a controlling factor in trace element toxicity. Normal toxicity appears to diminish as water hardness increases for some trace elements. Subsurface tile drainage water samples collected in the 6 discharge zones showed median hardness values ranging from 200 to 1,800 mg/L. Hardness values appeared to follow closely the total major ion concentrations. Thus the Panoche Fan (Zone F), San Joaquin County (Zone C) and Stanislaus County (Zone D) showed the highest concentrations. The hardness in the open waterways (Zone G) was also high. Channels within the Grassland area averaged 715 mg/L of total hardness with a median value of 770 mg/L. The natural westside creeks had an average hardness of 940 mg/L, but extreme values may be influencing this as the median value was 500 mg/L which is still considered high. These hardness values demonstrate the relatively poor quality water that comes from these natural streams.

The chemical composition of subsurface tile drainage water samples from three representative zones are depicted in simplified Piper diagrams (Fig. 2, 3, and 4) which show the relative contributions of major cations and anions to the total ion content of the water. Percentage scales along the sides of the diagrams indicate the relative concentration (in milliequivalents per liter) of each major ion. Cations are shown in the left triangle and anions in the right triangle. The central diamond integrates the data for cations and anions but is not essential to interpreting the data. Each water sample is represented by a point on the diagram.

The diagram with data for samples from Zone D (Fig. 2) which represents westside drainage downstream of the Grassland Area has 100 percent of the data points in either the sodium or no-dominant-type part of the cation triangle. The anion triangle shows that greater than 90 percent of the samples show no-dominant type for anions or they are slightly sulfate dominated. Over 75 percent fall in the no-dominant-type part of the triangle.

The diagram with data for samples from Zone E (Fig. 3) which represents areas on the eastside of the San Joaquin River also has 100 percent of the data points in either the sodium or no-dominant-type part of the cation triangle. The anion triangle however shows that all but one sample showed no-dominant type for anions.

In contrast, the diagram with data for samples from Zone F (Fig. 4) which represents subsurface tile drainage from the Panoche Fan Area has greater than 60 percent of the data points in the sodium-dominant-type part of the cation diagram. The anion triangle






Figure 2. Chemical Composition of Subsurface Tile Drainage in Zone D.



**Figure 3.** Chemical Composition of Subsurface Tile Drainage in Zone E.



**Figure 4. Chemical Composition of Subsurface Tile Drainage in Zone F.**

Table 3. Summary of Trace Element Concentrations in Subsurface Tile Drainage samples collected in the San Joaquin River Basin, 1986 - 1987.

	Minimum	Median	Maximum
B (mg/L)	<0.05	5.6	61
As (ug/L)	<1	2	63
Cd (ug/L)	<5	<5	57
Cr (ug/L)	<1	10	268
Cu (ug/L)	<1	<5	180
Pb (ug/L)	<2	<5	42
Mn (ug/L)	<5	10	4660
Hg (ug/L)	<0.2	<0.2	4
Mo (ug/L)	<5	17	724
Ni (ug/L)	<1	<5	230
Se (ug/L)	<1	47	2812
Ag (ug/L)	<5	<5	4
Zn (ug/L)	<1	1	1280

shows that greater than 95 percent of the samples show sulfate or strongly sulfate dominance. A similar characteristic was found by Devereil et al.(1984) for groundwater samples from the alluvial fan zone of the westside of the San Joaquin River, a large majority of which covers the Panoche Fan Area. In addition to this sodium-sulfate type water, the median calcium concentration shown in Table 2 for Zone F indicates that over 50 percent of the subsurface tile drainage water samples are saturated or close to saturation with calcium sulfate (gypsum), a common mineral in soils from the western portion of the San Joaquin River Basin.

#### b. Trace Elements

Median and ranges of the 13 trace elements that were determined are summarized in Table 3 for all the samples collected in the San Joaquin River Basin and in Table 4 for each of the discharge zones except Zone G. With the exception of silver, all of the trace elements were detected in at least one sample, however only 6 of these trace elements occur broadly at various levels across all the discharge zones. The frequency of occurrence of these six elements; arsenic, boron, chromium, molybdenum, nickel and selenium are summarized, by zone, in Table 5. A discussion of the data for each of the trace elements follows.

Table 4. Trace Element Concentrations in Subsurface Tile Drainage Samples Presented by Discharge Zone, 1986 - 1987.

	Zone A			Zone B			Zone C		
	MIN	MED	MAX	MIN	MED	MAX	MIN	MED	MAX
B (mg/L)	0.6	2.9	6.8	<0.05	0.1	0.5	0.5	3.0	5.9
As (ug/L)	1.0	1.5	28	1	6	63	1.0	3	9
Cd (ug/L)	<5	<5	<5	<5	<5	<10	<5	<5	<5
Cr (ug/L)	<1	4	15	1	<5	5	<1	<5	11
Cu (ug/L)	<1	<5	11	1	<5	12	<1	<5	8
Pb (ug/L)	<5	<5	<5	<5	<5	<10	<5	<5	7
Mn (ug/L)	<5	9	720	8	294	3700	<5	41	2520
Hg (ug/L)	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	-	-	-
Mo (ug/L)	1	<5	41	1	6	165	<5	6	18
Ni (ug/L)	<5	<5	<5	1	<5	7	<5	<5	9
Se (ug/L)	<1	1	3.5	<1	<1	1	<1	3	6
Ag (ug/L)	<5	<5	<5	<5	<5	<5	<5	<5	<5
Zn (ug/L)	<1	<5	14	<1	<5	34	<1	<5	31
	Zone D			Zone E			Zone F		
	MIN	MED	MAX	MIN	MED	MAX	MIN	MED	MAX
B (mg/L)	0.3	1.2	9.6	0.1	0.6	17	0.3	7.9	61
As (ug/L)	<1	1	57	<1	4	53	<1	1.0	10
Cd (ug/L)	<5	<5	<10	<5	<10	<10	<5	<5	57
Cr (ug/L)	<2	6	268	<1	<5	<10	<1	16	160
Cu (ug/L)	<5	<5	180	<1	<5	14	<1	<5	52
Pb (ug/L)	<5	<5	42	<2	<5	21	<2	<5	14
Mn (ug/L)	<5	15	4660	106	695	3690	<5	6	308
Hg (ug/L)	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.2	4
Mo (ug/L)	1	<5	32	<5	14	232	1	29	724
Ni (ug/L)	<5	<5	230	<5	<5	8	<5	<5	69
Se (ug/L)	<1	2	8	<1	<1	5	<1	120	2812
Ag (ug/L)	-	-	-	<5	<5	<5	<5	<5	<5
Zn (ug/L)	<5	6	92	<1	<10	84	<1	<5	1280

Table 5. Frequency Distribution for Selected Trace Element Concentrations Presented by Discharge Zone.

	Range	Zone A		Zone B		Zone C		Zone D		Zone E		Zone F		Total	
		%	n=	%	n=										
Selenium (ug/L)	<2	67	14	100	13	25	7	32	17	94	45	5	20	22	116
	2-10	33	7	0	0	75	21	68	36	6	3	7	24	18	91
	11-100	0	0	0	0	0	0	0	0	0	0	35	126	24	126
	101-500	0	0	0	0	0	0	0	0	0	0	47	167	32	167
	>500	0	0	0	0	0	0	0	0	0	0	6	22	4	22
	total	21		13		28		53		48		359		522	
Molybdenum (ug/L)	<5	81	17	50	7	43	12	78	28	10	5	15	56	25	125
	5-25	14	3	36	5	57	16	17	6	73	35	33	120	36	185
	26-100	5	1	0	0	0	0	5	2	4	2	41	149	30	154
	101-500	0	0	14	2	0	0	0	0	13	6	10	37	9	45
	>500	0	0	0	0	0	0	0	0	0	1	1	<1	1	
	total	21		14		28		36		48		363		510	
Boron (mg/L)	<1	5	1	100	15	4	1	33	18	71	34	4	14	16	83
	1-5	90	20	0	0	78	22	65	36	23	11	22	76	32	165
	6-10	5	1	0	0	18	5	2	1	0	0	44	155	31	162
	11-25	0	0	0	0	0	0	0	0	6	3	27	92	18	95
	>25	0	0	0	0	0	0	0	0	0	4	14	3	14	
	total	22		15		28		55		48		351		519	
Arsenic (ug/L)	<5	75	9	51	4	71	10	89	35	55	17	95	161	86	236
	5-10	17	2	25	2	29	4	5	2	35	11	4	7	11	28
	11-25	0	0	12	1	0	0	3	1	7	2	1	2	2	6
	26-100	8	1	12	1	0	0	3	1	3	1	0	0	1	4
	>100	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	total	12		8		14		39		31		170		274	
Chromium (ug/L)	<5	57	12	93	14	75	21	31	12	71	34	15	55	29	148
	5-10	38	8	7	1	21	6	33	13	27	13	19	69	21	110
	11-25	5	1	0	0	4	1	23	9	2	1	35	126	27	138
	26-100	0	0	0	0	0	0	10	4	0	0	30	108	22	112
	>100	0	0	0	0	0	0	3	1	0	1	5	1	1	6
	total	21		15		28		39		48		363		514	
Nickel (ug/L)	<5	100	22	93	14	83	24	81	33	79	38	58	181	67	312
	5-10	0	7	1	17	5	10	4	17	8	26	80	21	98	
	11-25	0	0	0	0	0	3	1	4	2	11	34	8	37	
	26-100	0	0	0	0	0	3	1	0	4	13	3	14		
	>100	0	0	0	0	0	3	1	0	1	1	1	1	2	
	total	22		15		29		40		48		309		463	
Total Dissolved Solids (mg/L)	<1000	23	3	75	6	0	0	17	5	66	10	9	15	16	39
	1000-2500	77	10	25	2	87	13	69	20	27	4	16	27	30	76
	2501-5000	0	0	0	0	13	2	14	4	0	0	32	55	24	61
	5001-10,000	0	0	0	0	0	0	0	0	7	1	40	70	28	71
	>10,000	0	0	0	0	0	0	0	0	0	3	6	2	6	
	total	13		8		15		29		15		173		253	

% Percentage of samples in range.

n= Number of samples in range.


Arsenic: Arsenic was detected at elevated levels in several samples throughout the various zones ranging as high a 63 ug/L. However the median values are relatively low with the lowest median values being found in discharge zones on the western side of the San Joaquin River (Zones A, C, D, and F). Slightly higher median arsenic concentrations were found in subsurface tile drainage water samples from the basin trough (Zone E) and the eastern portion (Zone B) of the River Basin. All the discharge zones showed arsenic concentrations in greater than 70 percent of the samples collected to be less than 5 ug/L except for discharge Zone B and E where over 50 percent of the samples showed concentrations in excess of 5 ug/L. Figure 5 shows frequency distributions for representative discharge zones. Zone E is similar to Zone B while Zone C and D would be similar to Zone A. Zones F stands alone. This reflects findings in drainage systems in the Tulare Lake Basin where high arsenic levels are associated with geologic formations in the Sierra Nevada (DWR, 1985).

Boron: High boron was detected in all subsurface drainage water samples collected from the west side of the San Joaquin River except those samples taken in discharge Zone E (basin trough). Boron showed strong median concentrations (greater than 2.5 ug/L) in discharges from Contra Costa County (Zone A), San Joaquin County (Zone C) and the Panoche Fan (Zone F). The highest concentrations were detected in discharge samples from the Panoche Fan (Zone F). Figure 6 shows the frequency of detection of boron in samples from three representative discharge zones from the westside of the San Joaquin Valley. Boron concentrations in samples from discharges from the eastside discharges (Zone B) showed very low boron levels with a median value of 0.1 mg/L, far below the 0.7 mg/L level considered important for sensitive agricultural crops (Ayers and Westcot, 1985). The median value for the basin trough (Zone E) discharge samples was 0.5 mg/L, also below the agricultural use criterion. Greater than 80 percent of all the samples collected from these two latter discharge zones had boron concentrations less than 1.0 mg/L.


Cadmium: In only one zone (Zone F) did cadmium concentrations exceed the detection level. All median values were below the detection level. The detection levels (5 ug/L and 10 ug/L) however were higher than normally used because of salt matrix interferences. The detection levels were too high to evaluate the discharges in relation to water quality criteria. Further monitoring, using a lower detection level, is needed to quantify the levels present. In addition further confirmation sampling should be done at all the sites where values were detected in excess of the detection level, especially those showing greater than 10 ug/L total recoverable cadmium in the discharge.

Chromium: Chromium concentrations ranged from 1 to 268 ug/L for samples collected from all discharge zones. Median concentrations varied however depending upon discharge zone, with the highest median value being from the Panoche Fan Area (Zone F). In the Panoche Fan discharge zone, 85 percent of the samples contained detectable concentrations of chromium, the highest of any of the discharge zones. Frequency diagrams for the occurrence of chromium in samples from

**Figure 5. Frequency Distribution for Arsenic in Subsurface Tile Drainage Waters.**



**Figure 6. Frequency Distribution for Boron in Subsurface Tile Drainage Waters.**



discharge Zones C, D, and F are shown in Figure 7. All three discharge zones show a higher frequency of detection at levels elevated above the detection limit. Over 65 percent of the samples showed detectable chromium above 10 ug/L in Zone F while in Zone D only 36 percent showed this level. Zone C showed only 25 percent of the samples collected with concentrations above the detection level with only 4 percent showing concentrations greater than 10 ug/L. For chromium, discharge Zone C was similar to discharge Zones A, B, and E. Total recoverable chromium concentrations reported here include both the hexavalent and trivalent forms of chromium in unknown proportions, therefore it is difficult to relate to existing water quality criteria which are specific to hexavalent or trivalent forms of this trace element. A follow up monitoring should include a determination of both forms of chromium, especially for discharges from the Panoche Fan Area (Zone F).

Copper: Copper was above detection in one or more samples from all of the discharge zones. The median concentration however was always less than the detection limit except in the Panoche Fan Area (Zone F) where it only slightly exceeded detection at 6 ug/L as the median value. Similar results were obtained during the study of Deverel et al.(1984) for a similar area and actual median concentrations in shallow groundwater were in the 2 - 3 ug/L range.


Lead: Lead was found above detection in 5 of the 7 discharge zones. The median concentrations for all zones were below the detection limit. Further investigation is needed to establish the reasons for the elevated levels found in some samples.

Manganese: Manganese was detected at widely varying concentrations throughout the river basin. The highest median concentrations were associated with sites on the eastside of the San Joaquin River (Zone B) and in the basin trough (Zone E). The lowest median concentration was found in the Panoche Fan Area (Zone F) with a median value of 6 ug/L, only slightly above the 5 ug/L detection level. Because of the widely scattered nature of the concentrations and sites showing elevated levels, no conclusions can be drawn.


Mercury: Mercury was checked on samples from only 5 of the 7 discharge zones. In all discharge zones sampled, except Zone F, mercury concentrations were below the detection limit of 0.2 ug/L in all samples. In Zone F, 14 sites showed slightly elevated mercury levels with positive values ranging from 0.5 ug/L to 4.0 ug/L. Further sampling will be needed to confirm the existence of mercury at these sites as most concentrations were near the analytical detection levels and the sites, except for one group of six sites, were widely scattered with no continuous trend showing detectable mercury concentrations.

Molybdenum: Molybdenum appears to be associated with discharges from throughout the river basin. Highest recorded and median values are associated with discharges occurring in the eastside area(Zone B), basin trough area(Zone E) and the Panoche Fan Area (Zone F). Median values for these zones respectively, are 6, 14, and 26 ug/L. Figure 8

**Figure 7. Frequency Distribution for Chromium in Subsurface Tile Drainage Waters.**



**Figure 8. Frequency Distribution for Molybdenum in Subsurface Tile Drainage Waters.**




shows the frequency distribution for 3 discharge zones which indicates the widely scattered nature of the samples collected from the various discharge zones although similarities do occur. For example discharge Zone D shows a similar pattern to Zone A while discharge Zones C and D show frequency distributions intermediate between Zones A and F. Zone F is the only zone that shows greater than 50 percent of the samples collected with molybdenum concentrations greater than 25 ug/L. Because of the large number of samples that exceed 5 ug/L, especially in the Panoche Fan and Basin Trough discharge zones, continued monitoring of the San Joaquin River and its tributaries is needed to ensure compliance with the existing 10 ug/L water quality criterion suggested for irrigated agricultural water use; a major water use in the basin. Data for Zone G shows that a number of the open waterways in the Grassland Area do exceed the 10 ug/L molybdenum criterion although the median concentration is 6 ug/L.


Nickel: Nickel was detected in at least one sample from each discharge zone except from the Contra Costa County Area (Zone A). The median concentration in all zones however was less than the 5 ug/L detection level. The distribution of sample concentrations for all discharge zones except Zone F (Panoche Fan Area) showed greater than 80 percent of all samples below the 5 ug/L detection level. Figure 9 shows the nickel concentrations of Zone F in relation to Zone B(east of the San Joaquin River) and Zone D (west of the San Joaquin River). For Zone F, the Panoche Fan, over 80 percent of the sample concentrations were less than 10 ug/L.

Selenium: Selenium was detected above the 1 ug/L detection level in at least one sample from each discharge zone. Higher concentrations (greater than 10 ug/L) and the highest levels recorded (greater than 500 ug/L) were from samples taken from the Panoche Fan Area (Zone F). The three zones depicted in Figure 10 are characteristic of the discharge zones. For example, discharge Zone D shows a similar pattern to Zone C while discharge Zone E on the figure has a similar pattern to discharge Zones A and B. From the data collected during this survey, the majority of the selenium being discharged in the San Joaquin River Basin from subsurface tile drains is from the Panoche Fan Area. The other discharge zones, although of lower concentration, do have sites that could cause localized water quality problems or if the volume of discharge is large, could cause excessive loading of selenium into certain aquatic resources. It is recommended that, in addition to continued selenium testing in the Panoche Fan Area, further selenium testing be done in selected higher concentration areas outside the Panoche Fan Area (Zone F) to ensure that seasonal or other temporal changes will not drive up the selenium levels. This program was only conducted as a one-time grab sample and was not meant to assess changes with time. For example, the largest direct discharge to the San Joaquin River downstream of the Grassland Area (New Jerusalem Drainage District) averaged 5 ug/L of total recoverable selenium over an 18 month period while individual grab samples showed concentrations from less than 1 ug/L to 10 ug/L during this same period(USBR, 1987).

**Figure 9. Frequency Distribution for Nickel in Subsurface Tile Drainage Waters.**



**Figure 10. Frequency Distribution for Selenium in Subsurface Tile Drainage Waters.**



Silver: Silver was not detected above the 5 ug/L detection limit in any of the samples tested. Further testing of shallow groundwater in the Panoche Fan Area (Zone F) by the U. S. Bureau of Reclamation showed no samples above the 1 ug/L detection level used in that study (Deverel et al., 1984).

Zinc: Zinc was detected above the 1 ug/L detection level in at least one sample in each of the discharge zones. The distribution of higher values was not related to any particular discharge zone and almost all zones had median values at or only slightly above the detection limit. The highest median value was 7 ug/L from the basin trough area (Zone E). As zinc coatings are often used on parts of piping and pumps, the widely scattered higher values may be related to contamination from these sources rather than actual concentrations in the shallow groundwater being discharged. Extensive efforts would be needed to avoid these potential sources of contamination, therefore it is recommended that in-stream monitoring be conducted for zinc in lieu of continued source monitoring, and only if the established criterion is being approached or exceeded should further source monitoring be conducted at the subsurface tile drainage discharges.

#### REFERENCES

- Ayers, R. S. and Westcot, D. W., 1985. Water quality for agriculture. Food and Agricultural Organization of the United Nations, Irrigation and Drainage Paper #29, Rev. 1. 174pp
- Deverel, S. J., Gilliom, R. J., Fujii, R., Izwicki, J. A., and Fields, J. C., 1984. Areal distribution of selenium and other inorganic constituents in shallow ground water of the San Luis Drain Service Area, San Joaquin Valley, California; a preliminary report. U. S. Geological Survey Water Resources Investigation Report 84-4319. 67pp.
- DWR, 1985. San Joaquin Valley Drainage Monitoring Program Annual Report. California Department of Water Resources. 56pp.
- SWRCB, 1987. Technical committee report to the California State Water Resources Control Board on regulation of agricultural drainage to the San Joaquin River. California State Water Resources Control Board, Sacramento, California. 300pp.
- USBR, 1987. United States Bureau of Reclamation Water Quality Analyses Report for the West Side of the San Joaquin Valley. 117pp


APPENDIX A

Sampling Location Within the San Joaquin River Basin




KEY TO SUBSURFACE TILE DRAINAGE  
SITE LOCATION MAPS


Figure A-1 relates the discharge zone maps to the San Joaquin River Basin. All maps are oriented north to south when reading top to bottom. The following key applies to all sites indicated on the discharge zone maps.



The following scale is appropriate for all discharge zone maps.









## ZONE A





FIGURE A-2




ZONE B: EAST OF THE SAN JOAQUIN RIVER

SITE ID	LOCATION	TOWNSHIP-RANGE-SECTION
B1	Near Sand Slu & Turner Is. Rds	T8S-R11E-S34
B2	Nr Hayden Rd & Le Grande Canal	T7S-R15E-S23
B3	Near Lander Ave and 4th Ave	T7S-R10E-S14
B4	Near Geer Rd and Lateral No. 7	T6S-R10E-S20
B5	Near August and Washington Rds	T6S-R10E-S18
B6	Alhem Ranch No. 4	T6S-R9E-S21
B7	Alhem Ranch No. 3	T6S-R9E-S21
B8	Columbus Ave & Lateral No. 8	T6S-R10E-S33
B9	At August and Faith Home Rds.	T6S-R10E-S18











**FIGURE A-4**



**FIGURE A-5**




**FIGURE A-6**


R11E | R12E

R11E | R12E







**Figure A-7**



**FIGURE A-8**



**FIGURE A-9**  
(Revised 11/18/88)



**FIGURE A-10**

ZONE G: OPEN WATER WAYS

SITE ID	LOCATION	TOWNSHIP-RANGE-SECTION
<b>SAN JOAQUIN RIVER</b>		
G1	SJR at Lander Ave.	T4S-R10E-S27
G2	SJR at Mossdale	T2S-R6E-S3
G3	SJR at Airport Way	T3S-R6E-S13
G4	SJR at Maze Blvd.	T3S-R7E-S29
G5	SJR at Laird Slough	T4S-R7E-S25
G6	SJR at Patterson Bridge	T5S-R8E-S22
G7	SJR at Crows Landing	T6S-R9E-S7
G8	SJR at Hills Ferry	T7S-R9E-S9
G9	SJR at Fremont Ford (HWY 140)	T7S-R9E-S24
<b>GRASSLANDS</b>		
G10	Almond Drain W of OHSLA Club	T11S-R11E-S6
G11	CCID Main at Almond Drive	T11S-R11E-S7
G12	Charleston at CCID Main	T11S-R11E-S29
G13	Camp 13 North of CCID Main	T11S-R11E-S27
G14	Firebaugh Drain at Camp 13	T11S-R11E-S27
G15	Hamburg Drain at Camp 13	T11S-R11E-S27
G16	Helm Canal at Weir	T11S-R12E-S31
G17	Agatha Canal N of CCID Main	T11S-R12E-S31
G18	Panoche @ O'Banion Gaging Stat	T11S-R12E-S32
G19	Mercy Springs at Agatha	T11S-R12E-S31
G20	Rice Drain at Mallard Road	T11S-R12E-S7
G22	Santa Fe Canal at HWY 152	T10S-R11E-S17
G23	San Luis Canal at HWY 152	T10S-R11E-S18
G24	Santa Fe Canal @ Henry Miller	T10S-R10E-S1
G25	City Ditch Discharge	T9S-R11E-S19
G26	Boundary Drain at DFG Pumps	T9S-R11E-S32
G27	Salt Slough at Hereford Rd.	T9S-R11E-S22
G28	Salt Slough at Wolfson Ranch	T9S-R11E-S7
G29	Salt Slough at Lander Ave.	T8S-R10E-S10
G31	Newman Wasteway at STP	T7S-R9E-S16
G32	Garzas Creek at Hunt Road	T8S-R9E-S20
G33	CCID Main at Gun Club Rd	T8S-R9E-S17
G34	Los Banos Creek at Gun Club Rd	T8S-R9E-S14
G35	Eagle Ditch at Gun Club Rd.	T8S-R9E-S13
G36	Santa Fe Canal At Gun Club Rd.	T8S-R10E-S19
G37	Mud Slough at Gun Club Rd.	T8S-R10E-S20
G38	Fremont Canal at Gun Club Rd.	T8S-R10E-S15
G39	Mud Slough at HWY 140	T7S-R9E-S26
G40	Los Banos Creek at HWY 140	T7S-R9E-S35
G41	Mud Slough at Newman Gun Club	T7S-R9E-S23
G42	Newman Wasteway at HWY 33	T7S-R9E-S16
G43	Kern Canon Creek	T5S-R7E-S7
<b>CREEKS</b>		
G44	Black Gulch	T5S-R7E-S34
G46	Corral Hollow	T3S-R4E-S24
G47	Crow	T7S-R7E-S24
G48	Deer	T1N-R2E-S20
G49	Del Puerto	T5S-R7E-S29
G51	Garzas	T8S-R8E-S17
G52	Hospital	T4S-R6E-S7
G53	Ingram	T4S-R6E-S35
G54	Kellogg	T1S-R3E-S7
G55	Los Baños Ck above Dam	T11S-R9E-S12
G57	Lone Tree	T4S-R5E-S1
G58	Little Panoche Ck above Dam	T13S-R10E-S35
G59	Little Panoche Ck below Dam	T13S-R11E-S20
G60	Marsh	T1S-R2E-S2
G61	Mountain House	T2S-R4E-S19
G62	Orestimba	T7S-R8E-S19
G63	Ortigalita	T11S-R10E-S31
G64	Panoche	T15S-R12E-S10
G65	Quinto	T9S-R8E-S15
G66	Romero	T9S-R8E-S27
G67	Salado	T6S-R7E-S10
G68	Sand	T1N-R2E-S8
G69	Silver	T15S-R12E-S31



APPENDIX B

Water Quality Data for the Sampling Sites  
Within the San Joaquin River Basin



**APPENDIX B Table 1. Subsurface Tile Drainage Physical Properties and Chemical Concentrations.**  
**Zone A - Contra Costa County**

R/WQCB ID	DATE	pH	EC umhos/cm	TEMP F	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Total mg/L.....	Alk mg/L.....	Hard mg/L.....	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn
														mg/L.....														
A1	06/13/86	8.1	1600	64	1000	38	67	180	1.5	200	380	410	1.9	2	<5	<5	<5	<5	<5	<5	6	<5	<5	3	<5	<5		
A1	06/01/87		1620							167	155		1.8		1	<1	<5					3	<5		2	<1		
A2	06/13/86	8.2	2700	64	1700	82	90	360	5.1	540	360	370	.540	2.2	28	<5	<5	<5	<5	<5	<5	720	<5	<5	<1	<5	<5	
A2	06/01/87		2870							417	450		2.3		3	2	<5	<5	<5	<5	<5	10	<5	1	1	<5	6	
A3	06/13/86	8.3	1900	63	1300	51	62	190	1.8	260	260	295	360	2.5	2	<5	5	<5	<5	<5	<5	9	41	<5	1	<5	<5	
A3	06/01/87		2220							279	312		3.3		3	<1	<5	<5	<5	<5	<5	3	<5	3	3	1	1	
A6	06/13/86	7.7	1900	64	1300	31	55	240	0.9	240	270	330	330	4.5	1	<5	<5	<5	<5	<5	<5	12	<5	<5	<1	<5	<5	
A6	06/01/87		2050							232	237		4.7		2	<1	<5	<5	<5	<5	<5	4	<5	4	1	<1	<1	
A7	06/13/86	8.1	1600	64	1100	31	42	210	1.0	230	180	280	240	3.0	1	<5	7	<5	<5	<5	<5	<5	<5	1	<5	<5		
A7	06/01/87		1720							219	146		2.9		4	<1	<5	<5	<5	<5	<5	1	<5	2	1	<1	<1	
A8	06/13/86	8.2	1600	64	1000	26	56	190	0.7	200	170	270	300	3.1	1	<5	6	<5	<5	<5	<5	9	<5	<5	1	<5	<5	
A8	06/01/87		1810							200	161		3.7		<1	<1	<5	<5	<5	<5	<5	<2	<5	2	<1	<1	<1	
A9	06/13/86	8.0	1400	64	830	28	53	140	0.5	160	130	310	260	2.3	1	<5	5	<5	<5	<5	<5	7	<5	<5	2	<5	<5	
A9	06/01/87		1440							147	111		2.8		3	<1	<5	<5	<5	<5	<5	11	<5	<5	1	<1	<1	
A10	06/13/86	8.2	1300	64	850	23	56	160	0.4	150	130	320	320	2.6	1	<5	5	<5	<5	<5	<5	3	<1	<5	2	<5	<1	
A10	06/01/87		1440							138	113		2.4		3	<1	<5	<5	<5	<5	<5	5	<5	<5	2	<1	<1	
A11	06/13/86	7.9	1800	64	1200	32	43	260	1.9	240	190	370	250	4.7	2	<5	6	<5	<5	<5	<5	5	<5	1	<5	<5		
A11	06/01/87		2490							303	250		6.8		3	<1	<5	<5	<5	<5	<5	3	<5	2	<1	<1	<1	
A13	06/13/86	8.0	2200	66	1500	63	47	340	2.4	430	250	130	380	4.0	5	<5	15	11	<5	500	18	<5	1	<5	14			
A14	06/13/86	8.3	780	70	500	37	17	86	2.7	87	110	80	190	0.6	7	<5	10	8	<5	440	10	<5	1	<5	10			

**APPENDIX B**      **Table 2.** Subsurface Tile Drainage Physical Properties and Chemical Concentrations.  
 Zone B - Eastside San Joaquin River

RWQCB ID	DATE	Total mg/L													ug/L											
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag
B1	06/12/86	8.1	2000	65	1300	97	45	190	3.1	360	210	260	410	0.1	11	<5	<5	<5	<5	3700	7	<5	<5	<5	34	
B1	06/02/87		1320							195	160		0.1		<1	<1	<5	<0.2			10	2	<1	<1	<5	2
B2	06/12/86	8.5	640	69	480	36	21	37	2.0	43	50	190	198	170	<0.05	2	<5	<5	<5	9	<5	<5	<1	<1	<5	<5
B2	06/02/87		580							29	15				<0.05		1	<1	<5	<0.2		1	<1	<1	<1	<1
B3	06/12/86	8.2	2300	65	1500	13	12	450	6.7	220	110	760	80	0.5	63	<5	12	<5	1190	133	<5	<1	<5	<5	<5	
B4	06/12/86	7.9	850	65	560	58	17	66	1.5	110	54	110	240	0.1	2	<5	<5	<5	<5	8	<5	<5	1	<5	<5	
B4	06/02/87		670							85	39				0.1		<1	2	<5	<0.2		2	1	<1	<1	1
B4	06/02/87		668							86	39				0.1		<1	2	<5	<0.2		2	1	<1	<1	1
B5	06/12/86	8.5	900	66	710	78	26	69	5.8	42	62	250	266	330	0.2	8	<5	5	7	<5	218	<5	<5	1	<5	<5
B5	06/12/86														8	<10	<2	<10	<10			<5				<10
B5	06/02/87		1070							63	67				0.1		<1	5	<5	<0.2		7	3	1	3	
B6	06/12/86	8.4	1100	64	710	17	10	190	2.4	89	39	410	418	84	0.2	4	<5	<5	<5	354	165	<5	<1	<5	<5	
B7	06/12/86	8.5	800	64	560	13	9	120	1.7	67	43	220	228	68	0.2	1	<5	<5	<5	294	7	<5	<1	<5	<5	
B8	06/12/86	8.6	900		710	77	23	67	5.7	41	61	230	250	330	0.2		<1	2	<5	<0.2		6	7	1	7	
B8	06/02/87		662							34	48				0.1		<1	1	<5	<0.2		4	<1	<1	<1	<1
B9	06/02/87		865							57	59				0.1											

**APPENDIX B Table 3. Subsurface Tile Drainage Physical Properties and Chemical Concentrations.**  
**Zone C - San Joaquin County**

RWQCB ID	DATE	Total mg/L.....													mg/L.....													
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	
C2	06/16/86	8.1	3400	63	2300	170	110	330	0.6	600	530	310	1000	1.0	3	<5	<5	<5	84	13	<5	1	<5	<5	<5	<5	<5	
C2	06/02/87		3210	63	1500	43	400	1.0	450	568	535	330	310	1.3	<1	<1	<5	62	<5	<5	3	<5	<5	<5	<5	<5	2	
C5	06/16/86	8.3	2500	63	1200	45	210	3.1	280	250	220	236	470	1.8	3	<5	<5	<5	72	<5	7	1	<5	31	1	1	1	1
C5	06/02/87		2540	69	1900	69	1200	110	45	367	425	240	160	160	710	1.0	9	<5	<5	2520	10	<5	<1	<5	<5	<5	<5	<5
C10	06/16/86	8.5	2290	63	1300	130	75	170	2.4	500	642	390	210	940	1.0	2	<5	<5	386	9	9	1	<5	<5	<5	<5	<5	
C10	06/02/87		2900	64	1800	180	110	300	0.9	730	410	320	320	610	4.9	1	<5	<5	74	<5	6	4	<5	<5	<5	<5	<5	
C11n	06/16/86	8.1	2300	63	1300	130	75	170	2.4	500	240	160	160	710	1.0	9	<5	<5	42	<5	6	<5	3	7	7	7	7	
C11n	06/02/87		2900	64	2300	140	80	600	3.3	800	420	320	320	610	4.9	1	<5	<5	3	<5	4	<5	<5	<5	<5	<5		
C11s	06/16/86	8.1	3300	64	1800	180	110	300	0.9	730	410	210	210	940	1.0	2	<5	<5	386	9	9	1	<5	<5	<5	<5	<5	
C13	06/16/86	8.0	4000	65	2200	130	64	390	2.0	490	590	420	420	530	3.3	2	<5	<5	42	<5	5	1	<5	<5	<5	<5	<5	
C13	06/02/87		4230	64	2200	130	64	390	2.0	490	590	420	420	530	5.7	2	<5	<5	3	<5	4	<5	<5	<5	<5	<5		
C14	06/16/86	8.0	3100	64	2200	130	64	390	2.0	490	590	420	420	530	5.6	4	1	<5	41	8	<5	3	<5	<5	<5	<5		
C14	06/02/87		4040	65	1600	62	44	370	2.1	440	240	320	320	280	2.5	6	<5	<5	42	<5	5	1	<5	<5	<5	<5	<5	
C16	06/16/86	8.2	2500	65	1600	62	44	370	2.1	440	240	320	320	280	4.7	4	<5	<5	41	8	<5	3	<5	<5	<5	<5	<5	
C16	06/02/87		2990	63	2700	180	76	570	1.9	840	600	310	310	630	4.7	4	<5	<5	42	<5	5	1	<5	<5	<5	<5	<5	
C17	06/16/86	8.2	4000	63	2200	150	73	370	1.5	560	640	240	240	620	3.5	2	<5	<5	41	8	<5	3	<5	<5	<5	<5	<5	
C17	06/02/87		3840	63	1400	39	38	350	0.9	260	160	340	348	230	4.7	2	<5	<5	42	<5	5	1	<5	<5	<5	<5	<5	
C36	06/16/86	8.4	2300	63	1400	39	38	350	0.9	260	160	340	348	230	4.7	2	<5	<5	41	8	<5	3	<5	<5	<5	<5	<5	
C36	06/02/87		2350	64	1500	41	38	350	1.7	395	220	360	360	270	2.9	5	<5	<5	42	<5	5	1	<5	<5	<5	<5	<5	
C37	06/16/86	8.0	3100	63	2200	150	73	370	1.5	560	640	240	240	620	3.5	2	<5	<5	41	8	<5	3	<5	<5	<5	<5	<5	
C37	06/02/87		3060	64	2300	88	72	490	1.5	680	450	410	410	470	2.9	5	<5	<5	42	<5	5	2	<5	<5	<5	<5	<5	
C38	06/16/86	8.2	3400	64	2300	88	72	490	1.5	680	454	449	373	284	4.9	6	<1	<1	41	8	<5	3	<5	<5	<5	<5	<5	
C38	06/02/87		3550	64	1500	41	38	350	1.7	395	220	360	360	270	3.0	5	<5	<5	42	<5	5	1	<5	<5	<5	<5	<5	
C39	06/16/86	8.3	2300	64	1500	41	38	350	1.7	379	255	379	255	230	2.3	2	<1	<1	41	8	<5	2	<5	<5	<5	<5	<5	
C41	06/16/86	8.3	4000	64	2900	200	99	500	0.9	600	1000	260	260	810	5.9	2	<5	<5	42	<5	5	1	<5	<5	<5	<5	<5	
C41	06/02/87		4170							505	704				3.6	2	<1	6	6	6	6	6	6	6	6	6	6	

**APPENDIX B**    **Table 4.** Subsurface Tile Drainage Physical Properties and Chemical Concentrations.  
Zone D - Stanislaus County

RNQCB ID	DATE	mg/L										ug/L															
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn
D1	04/10/86	6.2	1000	59	62	640	110	27	75	3.0	94	130	210	360	0.4	<1	<10	<2	<10	<10	1	<5	2	<5	5		
D1	06/11/86	8.3	990	62	64	1000	100	100	100	100	100	100	100	100	0.5	<1	<10	13	<10	<10	3	<5	2	<5	10		
D2	04/10/86	7.0	880	63	63	82	28	94	1.1	92	130	180	280	0.4	1	<5	<5	6	<5	6	19	<5	<5	1	<5	16	
D2	06/11/86	8.2	960	64	630	82	28	94	1.1	92	130	180	280	0.4	1	<5	<5	6	<5	6	19	<5	<5	2	<5	10	
D3	04/10/86	6.8	3700	61	64	2700	310	110	410	3.1	300	1100	270	270	1100	1.9	1	<5	<5	<5	<5	2	<5	2	<5	<10	
D3	06/11/86	8.1	3400	64	64	2700	310	110	410	3.1	300	1100	270	280	430	1.8	2	<5	6	<5	13	<5	<5	3	<5	<5	
D3	06/13/86	8.0	2100	65	1400	64	58	230	2.4	310	370	280	280	280	430	1.8	2	<5	6	<5	13	<5	<5	3	<5	<5	
D4	04/10/86	6.9	2200	62	600	2200	400	220	400	2.4	310	370	280	280	280	1.0	<1	<10	<2	14	<10	2	<5	1	<5	12	
D4	06/11/86	7.9	1700	65	1100	130	53	190	1.7	140	300	180	180	180	580	0.6	1	<5	5	47	<5	14	<5	<5	6		
D5	06/11/86	8.0	2500	62	1900	230	88	330	2.7	260	680	180	180	180	630	1.2	1	<5	<5	<5	<5	13	<5	2	<5	<5	
D5	07/28/87	2200	68	68	68	280	280	280	280	280	280	280	280	280	280	1.1	<1	<10	6	<10	<10	1	<5	3	<5	<10	
D6	04/10/86	7.0	2300	62	62	240	360	360	360	360	360	360	360	360	360	0.9	<1	<10	6	<10	<10	1	<5	3	<5	<5	
D6	06/11/86	8.1	2900	63	2100	190	94	390	3.0	470	230	690	1.1	1	<5	<5	<5	<5	<5	<5	<5	1	<5	3	<5	<10	
D7	04/10/86	7.1	2300	62	2300	62	160	78	300	2.8	320	340	240	240	240	530	0.7	1	<5	5	<5	<5	<5	<5	<5	<10	
D7	06/11/86	8.1	2300	62	1500	160	78	300	2.8	320	340	240	240	240	530	0.7	1	<5	5	<5	<5	<5	1	<5	2	<5	<5
D8	04/10/86	7.3	2400	64	64	1500	150	63	250	2.6	330	300	230	230	230	570	1.5	1	<5	41	5	<5	85	1	<5	5	
D8	06/11/86	8.3	2200	65	1500	150	63	250	2.6	330	300	230	230	230	570	1.5	1	<5	41	5	<5	85	1	<5	2	<5	<12
D9	04/10/86	7.1	2900	63	600	84	38	140	3.8	210	410	590	320	320	320	3.1	<1	<10	21	<10	<10	1	<5	2	<5	<12	
D9	06/11/86	8.2	1300	61	800	84	38	140	3.8	180	190	150	350	350	0.9	57	<5	268	180	42	3900	8	<1	<5	92		
D9	07/28/87	1900	65	65	2000	68	38	140	3.8	200	550	310	310	310	430	4.5	1	<5	38	<5	<5	81	11	<5	6	<5	
D10	06/11/86	8.3	2800	64	2000	99	75	530	2.8	310	550	310	310	310	430	4.5	1	<5	21	<5	<5	81	11	<5	6	<5	
D10	06/13/86	7.9	2700	63	1800	100	63	330	2.8	390	580	240	240	240	490	3.0	1	<5	21	<5	<5	81	11	<5	6	<5	
D10	07/28/87	2000	68	68	320	630	630	630	630	630	630	630	630	630	630	1.5	<1	<5	10	<5	<5	93	<5	<5	2	<5	
D11	06/11/86	8.2	2500	62	1800	110	65	400	3.0	230	630	260	260	260	480	3.6	1	<5	10	<5	<5	56	12	<5	5	<5	
D12	06/11/86	8.4	1700	65	1100	140	43	170	5.4	240	180	200	216	216	510	0.9	2	<5	10	<5	<5	93	<5	<5	2	<5	
D13	04/10/86	7.3	2100	64	64	48	22	92	3.1	89	92	100	210	210	210	1.8	<1	<10	17	<10	<10	2	<5	<5	10	<10	
D13	06/11/86	8.3	780	72	670	48	22	92	3.1	89	92	100	210	210	210	1.3	16	<5	69	39	12	940	<5	56	<1	<5	
D14	06/11/86	8.3	2000	64	1300	92	100	220	5.5	220	290	420	420	420	600	1.3	2	<5	11	<5	<5	130	<5	<5	2	<5	

APPENDIX B Table 4. (cont.)

RHOACB ID	DATE	pH umhos/cm	EC F	mg/L										Total ug/L														
				TDS	Ca	Mg	Na	K	Cl	SO <sub>4</sub>	HCO <sub>3</sub>	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn		
D14	07/28/87	1400	64	230	350	330	330	520	1.0	2	<5	11	<5	11	<5	<5	3	<5	1	<1	<1	<1	<5	<5				
D15	06/11/86	8.2	2200	62	1500	130	87	280	3.0	240	110	0.4	1.0	<1	<10	6	<10	1	<5	4	10	2	2	10				
D15	07/28/87	730	65	230	370	320	320	0.7	0.7	1.0	1.0	0.7	1.9	<1	<10	11	<10	2	<5	3	<10	2	2	<10				
D16	04/10/86	7.2	2200	63	140	800	470	140	1.9	1.9	1.9	1.9	1.9	<1	<10	11	<10	<10	2	<5	3	<10	2	2	<10			
D16	07/28/87	990	66	2100	63	1400	95	51	270	2.9	360	310	290	340	530	0.6	4	<5	<5	15	5	<5	140	19	6			
D17	04/10/86	7.1	3700	62	110	80	58	360	2.5	550	260	260	480	2.4	5	<5	5	<5	15	5	<5	140	19	6	3	<5		
D17	07/28/87	850	68	2100	65	1900	95	51	270	2.9	360	310	290	340	530	0.6	4	<5	<5	15	5	<5	140	19	6	3	<5	
D18	06/13/86	8.2	2700	65	1900	80	58	360	2.5	550	260	260	480	2.4	5	<5	5	<5	15	5	<5	140	19	6	3	<5		
D19	06/13/86	8.6	2100	63	1400	95	51	270	2.9	360	310	290	340	530	0.6	4	<5	<5	15	5	<5	140	19	6	3	<5		
D19	07/28/87	670	67	2100	64	1300	36	34	330	3.1	280	250	250	360	360	2.2	3	<5	<5	15	5	<5	140	19	6	3	<5	
D20	06/13/86	8.3	2100	64	1300	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1.6	2	<5	<5	15	5	<5	140	19	6	3	<5	
D20	07/28/87	4900	72	2100	64	1300	56	48	160	3.4	270	210	290	290	350	1.4	2	<5	<5	15	5	<5	140	19	6	3	<5	
D21	06/13/86	8.2	1800	69	1200	56	48	160	3.4	270	210	290	290	350	1.4	2	<5	<5	15	5	<5	140	19	6	3	<5		
D21	07/28/87	900	72	2100	64	4400	370	270	510	2.5	1400	1200	340	340	1800	1.6	4	<5	<5	15	5	<5	140	19	6	3	<5	
D22	06/13/86	7.7	6200	64	4400	370	270	510	2.5	1400	1200	340	340	1800	1.6	4	<5	<5	15	5	<5	140	19	6	3	<5		
D22	07/16/87	1500	85	2100	64	1300	74	58	190	2.1	300	300	240	240	400	2.2	2	<5	<5	15	5	<5	140	19	6	3	<5	
D23	06/13/86	8.0	2100	64	1300	74	58	190	2.1	300	300	240	240	400	2.2	2	<5	<5	15	5	<5	140	19	6	3	<5		
D23	07/16/87	1700	84	2100	64	500	45	19	87	5.4	65	200	150	150	190	0.6	3	<5	<5	15	5	<5	140	19	6	3	<5	
D24	06/13/86	8.2	810	64	500	45	19	87	5.4	65	190	1200	2300	500	500	1500	9.6	5	<5	<5	15	5	<5	140	19	6	3	<5
D24	07/16/87	630	83	200	260	1000	2.4	2.4	1200	2300	500	500	1500	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2		
D25	06/13/86	8.1	7500	63	4800	200	260	1000	2.4	1200	2300	500	500	1500	9.6	5	<5	<5	15	5	<5	140	19	6	3	<5		
D25	07/16/87	1400	89	2100	62	1100	62	32	200	2.0	280	260	200	200	250	1.3	1	<5	<5	15	5	<5	140	19	6	3	<5	
D26	06/13/86	8.0	1800	62	1100	750	79	130	2.0	280	260	200	200	250	1.3	1	<5	<5	15	5	<5	140	19	6	3	<5		
D26	07/16/87	750	79	130	2.0	280	260	200	200	250	1.3	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5			

APPENDIX B Table 5. Subsurface Tile Drainage Physical Properties and Chemical Concentrations.  
Zone E - Basin Trough, Merced County

RWQCB ID	DATE	pH dH/mos/cm	EC µmhos/cm	TEMP F	TDS mg/L	Ca mg/L	Mg mg/L	Na mg/L	K mg/L	Cl mg/L	SO4 mg/L	HCO3 mg/L	Alk mg/L	Hard mg/L	B mg/L	As mg/L	Cd mg/L	Cr mg/L	Cu mg/L	Pb mg/L	Hg mg/L	Mn mg/L	Mo mg/L	Ni mg/L	Se mg/L	Ag mg/L	Zn mg/L	Total		
E1	04/03/86	1800	63			320	350	140		1.2	2	<10	<10	<10	<2						8	<5	2		<10					
E1	06/12/86	8.3	2100	66	1300	79	51	300	4.3	420	300	120	370	0.8	2	<5	<5	<5	<5	1280	10	<5	<1	<5	<5	<5				
E1	06/02/87	1490				240	174							0.6		<1	<3	<5	<0.2	9	<5	2							1	
E2	04/03/86	63	3900		1300	91	56	310	4.3	280	270	260	360	1.9	3	<10	<10	<10	<2		20	<5	1		<10					
E2	06/12/86	8.3	2000	62		360	324							0.5	3	<5	<5	<5	<5	1140	26	<5	<1	<5	<5	<5				
E2	06/02/87	2530				320	350							0.7		<1	<3	<5	<0.2		24	<5	1						4	
E3	04/03/86	2100	63			370	380	280	90	0.7	2	<5	<5	<5	<5					1050	20	<5	<1	<5	<5	<5				
E3	06/12/86	8.2	2400	65	1600	110	66	360	4.3	382	253			0.7		<1	<1	<5	<0.2		111	8	1		<10					
E3	06/02/87	2530				490	360							1.3	2	<10	<10	<2			11	<5	1						2	
E4	04/03/86	2500	63			410	177							0.5	53	<5	<5	<5	<0.2		17	6	1		<10					
E4	06/12/86	8.4	1500	68	920	65	38	210	4.4	240	200	160	168	300	0.5	53	<5	<5	<5		500	12	6	<1	<5	17				
E4	06/02/87	2450				820	1400							0.6		<1	<3	<5	<0.2		15	<5	1		2				2	
E5	04/03/86	2800	60			210	200	216	330	0.3	5	<5	<5	<5	<5					149	<5	2		<10				12		
E5	06/12/86	8.5	1400	64	860	70	46	180	3.8	256	94			0.9		<1	<1	<5	<0.2		106	30	<5	2	<5	<5			2	
E5	06/02/87	2560				140	120							1.3	13	<10	<10	<2			142	<5	2						2	
E6	04/03/86	1500	61			87	175							0.4		<1	2	<0.2			15	7	<1						20	
E6	06/02/87	1040				170	190							0.9	3	<10	<10	<2			14	<5	1		1				1	
E7	04/03/86	63	1200			240	200	188	260	0.3	3	<5	<5	<5	<5					24	<5	1		12						
E7	06/12/86	8.4	1200	63	760	73	36	160	1.8	140	150	180	140	170	1.1	<1	<10	<10	<2		1050	23	<5	<1	<5	<5			5	
E7	06/02/87	1050				109	113							0.4		<1	<1	<5	<0.2		18	<5	1		3				3	
E8	06/02/87	1070				138	175							0.3		<1	2	<0.2			11	<5	1		10				10	
E9	04/03/86	1500	62			213	167							0.3		<1	<1	<5	<0.2		6	<5	1		9				9	
E10	06/12/86	8.4	1100	63	720	80	34	140	2.6	180	140	170	186	300	0.2	2	<5	<5	<5		210	<5	<5	<1	<5	7				
E10	06/02/87	1420				240	200							1.1	<1	<10	<10	<2			11	<5	1		5				5	
E11	04/03/86	61	880			94	110							1.2	6	<10	<10	<2			12	<5	1		22				22	
E11	06/12/86	8.3	1000	64	680	87	22	120	1.3	120	110	220	280	0.1	13	<5	<5	<5	<5		108	13	<5	<1	<5	6			6	
E11	06/02/87	1210				155	133							0.2		<1	2	<5	<0.2		17	<5	4		2				2	
E12	04/03/86	1100	62			150	160							0.9	5	<10	<2	<10	<0.2		9	<5	1		13				13	

APPENDIX B Table 5. (cont.)

RwQCB ID	DATE	mg/L												ug/L															
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Total	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	
E12	06/12/86	8.3	1100	64	690	88	26	120	1.6	140	110	190	290	0.1	6	<5	<5	<5	<5	480	6	<5	<1	<5	<5	<5			
E12	06/02/87		1150							149	138			0.2		<1	<1	<5	<0.2			10	<5	1	1				
E13	04/03/86		1600	63						290	280			1.1		4	<10	<2	11	<10			16	<5	<1		13		
E13	06/12/86	8.2	1500	66	980	140	47	140	2.5	210	190	200	430	0.1	4	<5	<5	<5	<5	1130	17	<5	<1	<5	<5				
E13	06/02/87		1630							235	255			0.2		<1	<1	<5	<0.2			16	<5	<1	1				
E14	04/03/86		1900	60						380	300			1.0		5	<10	<2	14	<10			12	<5	<1		84		
E14	06/12/86	8.0	1700	64	1100	160	54	150	1.8	240	200	250	560	0.1	6	<5	<5	<5	<5	780	16	<5	1	<5	<5				
E14	06/02/87		1700							287	208			0.1		<1	<1	<5	<0.2			15	<5	<1	5				
E15	04/03/86		1100	62						140	150			0.4		3	<10	<2	<10	<10			11	<5	1		<10		
E15	06/12/86	8.4	1400	66	930	120	41	140	1.8	200	170	186	430	0.2	4	<5	<5	<5	<5			204	14	<5	2	<5	<5		
E15	06/02/87		1290							178	182			0.2		<1	<1	3	10	<0.2			14	<5	1	2			
* E16	04/03/86		2400	50						490	460			170		1.4	2	<10	<10	<10	<2			12	<5	<1	11		
* E16	06/12/86	8.1	980	69	600	46	26	130	4.4	150	160	80	210	0.5	10	<5	6	9	<5	610	<5	10	<1	<5	19				
* E16	06/02/87		1350							206	548			0.6		<1	5	<5	<0.2			6	7	2	12				
* E17	04/03/86		730	58						110	170			100		0.9	7	<10	<10	<10	4		4	11	1	27			
* E17	06/12/86	8.0	460	71	290	32	12	49	2.9	48	54	70	120	0.1	9	<5	13	8	<5	380	<5	11	<1	<5	26				
* E17	06/02/87		872							120	181			0.4		7	7	<5	<0.2			3	10	2	21				
E18	04/03/86		8000	63						1100	2400			410		17.0	2	<10	<10	<10	4		4	11	1	<10			
E18	06/12/86	8.0	7000	5600	950	180	1300	9.7	950	2200	290	1300	1940	10.5		4	<5	<5	<5	3690	200	6	4	<5	<5				
E18	06/02/87		7290							871						<1	<1	<5	<0.2	192	<5	5	2						

\* Open Drain

**APPENDIX B Table 6. Subsurface Tile Drainage Physical Properties and Chemical Concentrations.**  
**Zone F - Panoche Fan Area**

RWCID	DATE	pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	Total
mg/L	ug/L																											
F1	04/03/86	6.9	6900	61	890	2300	210	7.1	1	<10	24	<10	<10	12	<5	104	<10	<5	62	<5	128	<5	<5	<5	<5	<5	<10	
F1	06/12/86	8.0	6100	64	5700	630	170	1100	8.3	670	2500	160	2200	5.6	1	<5	36	<5	22	<3	<5	<0.2	15	<5	192	<1	<10	
F1	06/02/87	7650	60	1078	3496	1900	2500	270	11	1	<10	19	<10	<10	22	11	269	<10	<5	11	21	11	295	<5	<5	<5	<5	
F2	04/03/86	7.2	9600	60	7800	670	200	1800	11	1900	2900	180	2400	9.2	1	<5	19	<5	7	<3	<5	<0.2	28	9	177	1	<10	
F2	06/12/86	7.9	9400	64	1312	3674	1800	2100	280	6.9	2	<10	30	19	<10	16	22	64	19	16	22	13	53	<5	12	<10		
F3	06/02/87	8550	60	1944	3251	1000	2000	180	180	1700	5.7	1	<5	33	6	5	8	22	13	53	<5	18	7	111	3	<10		
F4	04/03/86	7.2	8600	60	6100	490	120	1500	11	1600	2300	180	1944	8.2	1	<10	20	<10	<10	<10	<10	27	10	112	<10	<10		
F4	06/12/86	7.8	9000	65	5600	490	170	980	9.4	990	2500	150	1550	5.6	1	<5	25	<5	18	33	10	132	<5	<5	<5	<5		
F4	06/02/87	6450	60	820	2000	170	1500	4.2	<1	<5	21	<10	<10	<10	<5	17	<3	<5	<0.2	22	10	99	2	<10				
F5	04/03/86	7.3	5700	60	4300	430	110	790	8.8	650	2000	240	4.7	1	<10	21	<10	<10	<10	<10	<5	20	<5	68	<5	<10		
F5	06/12/86	7.9	4900	65	522	2564	900	2200	630	2200	160	1900	4.2	<1	<5	24	<5	<5	<5	<5	<5	31	<5	52	<5	<5		
F5	06/02/87	4970	60	8000	510	130	770	7.2	1300	2500	190	1800	6.3	1	<10	14	<10	<10	<10	<10	<5	29	<5	44	<1	<10		
F6	04/03/86	7.3	6200	60	4800	4800	510	150	1300	11	1200	2500	1090	3560	6.6	1	<5	26	<5	13	2	<5	<0.2	5	23	50	<5	<5
F6	06/12/86	8.2	5400	65	1500	2500	1500	1500	1500	1500	1500	1500	240	9.7	1	<10	17	<10	<10	<10	<10	27	11	75	<5	<10		
F6	06/02/87	5410	60	170	1500	170	1500	170	170	170	170	170	170	11	1	<10	26	<10	<10	<10	<10	22	<5	192	<10	<10		
F7	04/03/86	7.3	7600	60	6400	580	190	1400	9.6	1300	2800	210	2200	7.5	1	<5	20	<5	11	<3	<5	<0.2	25	8	83	1	<10	
F7	06/12/86	8.0	7100	65	631	1788	1498	3861	190	2300	8.6	1498	8.4	1	<5	41	<5	<5	<5	<5	<5	31	9	74	<5	<5		
F8	06/02/87	4870	60	2000	2300	220	10.6	1700	9.7	140	2200	140	2200	8.8	<1	<10	32	<10	<10	<10	<10	13	<5	337	<10	<5		
F9	04/03/86	7.5	7900	60	6300	600	200	1300	8.0	1500	2600	190	2300	8.6	<5	41	<5	<5	<5	<5	<5	18	<5	178	<5	<5		
F9	06/12/86	8.1	9000	64	1498	3861	2000	2300	220	10.6	<1	<10	32	<10	<10	<10	<5	<5	<5	<5	<5	20	<5	177	3	<5		
F9	06/02/87	8900	61	9000	64	7500	730	220	1600	9.7	1700	2700	140	2200	8.8	<5	46	<5	<5	<5	<5	14	<5	298	<5	<5		
F10	04/03/86	7.2	9500	61	9000	64	7500	730	220	1600	9.7	1700	2700	140	2200	8.8	<5	46	<5	<5	<5	<5	14	<5	298	<5	<5	
F10	06/12/86	8.0	9000	64	8900	61	9000	64	7500	730	220	1600	9.7	1700	2700	140	2200	8.8	<5	46	<5	<5	<5	14	<5	298	<5	<5

APPENDIX B Table 6. (cont.)

RWQCB ID	DATE	Total mg/L										Total ug/L																	
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn		
F10	06/02/87	9200																										<1	
F11	04/03/86	7.2	5800	60	5600	560	190	980	7.7	630	2800	190	1800	6.6	<5	36	<5	23	<10	<10	<10	<5	21	<5	95	<5	<5		
F11	06/12/86	8.1	6500	63	5600	560	190	980	7.7	1052	3327	5.6	23	<3	<5	<0.2	<0.2	<10	<10	<10	<10	<5	79	26	2	2	2		
F11	06/02/87	5940																											
F12	04/03/86	7.3	7200	60	6900	630	210	1500	8.6	1200	2400	230	9.0	1	<10	5	<5	<10	<10	<10	<10	<10	28	10	134	<10			
F12	06/12/86	8.1	8000	65	6900	6900	1200	3100	200	200	2200	8.1	<5	14	6	<5	14	6	<5	11	37	7	168	<5	<5	6			
F12	06/02/87	7620																											
F13	04/03/86	7.2	11000	60	2000	3100	250	0.3	2	<10	17	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	25	8	371	10			
F13	06/12/86	8.1	11100	64	9500	650	310	1900	8.5	2100	3900	170	170	2400	12	<5	30	<5	<5	<5	<5	<5	<5	30	5	394	<5	<5	
F13	06/02/87	11500																											
F14	04/03/86	7.5	7400	60	860	2800	250	10	<1	<10	7	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	39	7	219	<10		
F14	06/12/86	8.2	8400	63	7400	570	200	1800	9.6	840	3700	200	200	2300	10	<5	10	<5	<5	<5	<5	<5	<5	40	41	6	253	<5	<5
F14	06/02/87	7140																											
F15	04/03/86	7.3	6100	60	570	2500	250	8.1	<1	<10	5	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	34	5	162	<10		
F15	06/12/86	8.2	8200	63	6300	530	250	1400	9.0	760	3800	190	190	2400	9.9	<5	24	<5	<5	<5	<5	<5	<5	9	44	<5	256	<5	<5
F15	06/02/87	8550																											
F16	04/03/86	6.6	14750	57	570	2500	250	8.1	<1	<10	5	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	32	19	10	301	<5	6
F16	06/12/86	7.9	8300	64	7100	720	210	1300	9.9	1200	2800	160	160	2400	9.0	<5	45	<5	<5	<5	<5	<5	<5	51	<5	248	2	2	
F16	06/02/87	11100																											
F17	04/03/86	7.1	6100	60	136	1000	100	2.5	1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	12	8	35	<10		
F17	06/12/86	8.2	5900	67	4700	480	170	980	9.0	650	2100	180	180	1800	6.5	<5	28	<5	<5	<5	<5	<5	<5	34	5	162	<10		
F17	06/02/87	5930																											
F18	04/03/86	7.2	11000	60	2200	2600	200	16	<1	<10	40	<3	<5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	34	5	521	4	4		
F18	06/12/86	7.1	6100	66	7300	570	210	1700	9.6	1300	2500	200	200	2300	10	<5	36	<5	<5	<5	<5	<5	<5	30	<5	112	11		
F18	06/02/87	11000																											
F19	04/03/86	7.2	8200	59	7600	560	240	1600	11	810	3600	160	160	2400	13	<5	21	<5	<5	<5	<5	<5	<5	19	32	10	296	<5	<5
F19	06/12/86	8.3	8500	65	4700	480	170	980	9.0	650	2100	180	180	1800	6.5	<5	28	<5	<5	<5	<5	<5	<5	33	<5	103	<5	<5	5
F19	06/02/87	8740																											
F19	04/03/86	7.2	5940	61	460	1500	230	7.5	1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	34	6	341	8			
F20	04/03/86	7.5	4500	60	7500	600	240	1800	11	940	3400	180	180	2400	11	<5	27	<5	<5	<5	<5	<5	<5	39	<5	281	<5	<5	5
F20	06/12/86	8.1	8000	67	7580	7380	745	4260																					

APPENDIX B Table 6. (cont..)

RWQCB ID	DATE	mg/L						Total						ug/L														
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	
F21	04/03/86	7.2	11000	59		1800	3000	270		15	1	<10	20	<10	<2					17	18	409	<5	17				
F21	06/12/86	8.3	10000	63	9400	610	220	2200	12	1500	3800	240	240	2400	14	1	<5	19	<5	6	13	17	338	<5	8			
F21	06/02/87		11100			1385	5233			15					11	<3			<0.2		22	16	382	4				
F22	04/03/86	7.2	7600	60		760	2200			200		15	1	<10	<10	<2				45	11	235	15					
F22	06/12/86	8.3	7600	66	7200	510	150	1600	8.9	860	3000	200	200	1900	12	1	<5	26	<5		<5	35	<5	275	<5	5		
F22	06/02/87		7650			770	3700			11					10	<1			<0.2		43	7	228	3				
F23	04/03/86	7.4	8000	60		1100	2300			240		13	1	<10	<10	<2				37	12	182	<10					
F23	06/12/86	8.1	8000	65	6900	480	150	1700	9.9	840	3200	260	260	1800	9.2	1	<5	35	<5		<5	24	13	194	<5	5		
F23	06/02/87		7860			942	3828			8.8					18	<3			<0.2		38	9	160	4				
F24	04/03/86	7.0	25000	59		4900	4800			450		33	1	<10	<10	<10				15	13	2478	<10					
F24	06/12/86	8.1	16000	64	14100	670	300	3400	13	3600	4300	300	300	3300	24	1	<5	22	<6		<5	13	10	1830	<5	5		
F24	06/02/87		14000			2502	4988			17					13	<3			<0.2		26	8	974	2				
F25	04/03/86	7.4	9600	60		1500	3400			230		23	2	<10	<10	<2				76	6	727	13					
F25	06/12/86	8.3	8000	64	7700	490	190	1600	8.2	830	3200	190	190	2100	14	1	<5	36	<5		<5	52	5	940	<5	5		
F25	06/02/87		9730			1133	5425			15					43	1	6	<0.2			77	10	731	5				
* F26	04/03/86	8.1	8800	63		1800	2300			210		11	2	<10	<10	<10				14	7	289	16					
* F26	06/12/86	8.4	3200	69	2300	200	73	430	8.6	420	850	170	170	860	2.7	2	<5	28	7		<5	62	10	9	62	<5	5	
* F26	06/02/87		5040			803	1829			3.9					74	59	8	<0.2			3	51	102	120				
* F27	04/03/86	8.2	1450	66		190	700			110		2.3	13	<10	78	56	14				1	81	28	<5	16	150		
* F27	06/12/86	8.2	3600	72	2700	270	96	460	6.5	400	1200	130	130	1100	3.3	<5	28	23	<5		390	<5	53	22	<5	37		
* F27	06/02/87		3230			322	1468			2.6					32	10	<5	<0.2			4	19	38	37				
* F28	04/03/86	8.0	4000	67		550	1400			140		4.8	4	<10	23	10	<2				11	13	58	23				
* F28	06/12/86	8.0	3200	75	2000	210	74	490	5.6	320	830	120	120	820	2.8	<5	22	7	<5		119	10	18	28	<5	16		
* F28	06/02/87		3230			391	1210			2.8					47	22	<5	<0.2			3	48	38	70				
* F29	04/03/86	8.3	8200	73		1500	2200			150		12	1	<10	21	<10	<2				24	10	247	13				
* F29	06/12/86	8.1	1700	74	1000	92	28	210	6.5	200	360	98	98	370	1.3	13	<5	62	28		440	<5	55	42	<5	27		
* F29	06/02/87		1900			237	675			1.4					44	22	<5	<0.2			2	32	30	65				
* F30	04/03/86	8.0	3800	64		520	1200			140		4.8	2	<10	12	11	<2				12	10	88	11				
* F30	06/12/86	8.1	1800	67	1200	180	36	220	11	240	420	100	100	370	1.2	<5	190	158	<5		1830	<5	400	<5	145			
* F30	06/02/87		683			340	162			0.4					5	3	6	<0.2			2	<5	3	6				
* F31	04/03/86	8.4	2800	60		330	870			110		2.9	2	<10	<10	<10	<2				11	10	62	15				

APPENDIX B Table 6. (cont.)

RHQCB ID	DATE	PH umhos/cm	EC umhos/cm	TEMP F	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Total mg/L.....	Total mg/L.....	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn
* F31	06/12/86	8.2	2800	69	2100	180	65	380	7.5	380	790	110	110	820	2.4	3	<5	20	6	<5	58	10	8	34	<5	<5	
* F31	06/02/87	3270								398	1381				3.2		2	<5	6	<5	<5	11	6	75		8	
F41	05/05/86																				<5	102	15	15	<5	12	
F41	06/23/87	8.0	5100		4400	420	180	720	2.0	200	2500	150	150	1790	14		3	<5	6	<5	<5	154	<5	26	4		
F42	05/05/86																				5	45	29	<5	33		
F42	06/23/87	8.0	9500		7900	430	250	1900	3.1	740	4300	170	170	1864	26		8	<3	5	<0.2	235	<5	44	4	2		
F43	05/05/86																2	<5	5	<5	<5	11	36	5	<5	<5	
F44	05/05/86																4	15	<5	<5	<5	56	62	<5	9		
F44	06/23/87	8.1	3900		3000	220	66	660	3.4	240	1500	250	250	821	7.1		4	<5	3	<5	<0.2	105	5	25	5		
F45	05/05/86																3	<5	<5	<5	<5	188	33	<5	18		
F46	05/05/86																4	<5	<5	<5	<5	23	186	60	<5	24	
F46	06/23/87	8.2	1400		930	110	27	180	3.4	100	380	170	170	353	1.6		3	<1	<1	<5	<0.2	17	<5	5	<1		
F47	05/05/86																3	5	13	<5	<5	6	195	159	<5	60	
F47	05/16/86																2	<5	14	<5	<5	6	170	150	<5	31	
F47	06/23/87	7.9	10000		9200	530	270	1900	3.6	810	5200	120	120	2434	21		6	2	8	0.6	242	<5	152	4			
F48	05/05/86																2	12	9	<5	<5	13	38	73	<5	45	
F48	06/23/87	8.1	3000		2100	160	68	480	3.6	260	900	220	220	651	4.1		2	5	14	<5	<5	5	0.7	123	6	132	
F49	05/05/86																14	2	<5	<5	<5	160	160	202	<5	43	
F49	06/23/87	8.0	7000		5200	230	120	1300	4.2	650	2400	210	210	1027	14		8	<3	5	0.7	123	6	132	3			
F50	06/23/87	7.9	7000		5600	360	250	1200	4.1	850	2400	290	290	1903	31		14	2	<5	1.1	39	<5	11	1			
F51	06/23/87	7.9	5000		4200	560	180	590	6.7	500	2000	280	280	2159	5.9		3	2	6	<0.2	126	8	3	1			
F52	06/23/87	8.0	5900		4300	300	210	860	3.6	950	1600	310	310	1317	3.0		<1	1	<5	<0.2	141	<5	2	2			
F53	06/23/87	7.8	7100		5400	580	140	960	3.5	1100	2100	160	160	2024	5.9		8	<3	<5	<0.2	8	<5	215	5			
F54	05/19/86																2	6	5	<5	7	9	193	<5	26		
F54	06/23/87	7.8	5300		4300	450	110	630	3.5	500	2000	180	180	1576	3.6		1	<5	<5	<5	<5	<1	<5	8			
F55	05/05/86																4	<1	<5	<5	<5	3	<5	1	3		
F55	06/23/87																										
F56	05/05/86																										
F56	06/23/87	8.1	1300		760	64	45	170	0.8	180	140	220	220	345	9.9		1	<5	17	<5	<5	14	12	10	<5	5	
F56	06/23/87	8.0	7600		5200	300	300	950	2.5	550	2300	420	420	1984	320		320	555	1.5		23	2	<5	<0.2	2	<5	3
F57	06/23/87	8.1	1800		1100	130	60	200	4.0	220	220															6	

APPENDIX B Table 6. (cont.)

RWQCB ID	DATE	mg/L.....µg/L.....												Total													
		PH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn
F58	05/05/86																										
F58	06/23/87	8.2	690		400	48	20	57	1.2	84	68	140	140	202	0.3	10	49	39	40	6	300	<5	<1	<1	<5	82	
F59	05/05/86																1	<5	<5	<5	<5	6	<1	<1	<5	<5	<5
F60	05/05/86																3	<1	<5	<0.2	8	<5	<1	<1	<5	<5	<5
F60	06/23/87	8.0	710		410	50	22	55	1.2	100	76	140	140	215	0.3	2	5	42	5	<5	34	5	9	<5	<5	<5	
F61	05/05/86																4	<5	31	<5	13	<5	4	<5	11	1	1
F61	06/23/87	7.8	6200		5000	380	220	930	3.8	850	2200	340	340	1854	11	42	<3	6	0.8	4	<5	2	<5	3	<5	<5	
F62	05/05/86																										
F62	06/23/87	7.8	3400		2400	210	120	410	4.4	390	780	400	400	936	6.8	4	<1	<3	<5	<0.2	2	<5	3	<1	<1	<1	
F63	06/23/87	8.0	2800		1800	110	100	410	3.9	340	400	480	480	686	2.1		<1	<1	<5	<0.2	20	<5	4	2			
F64	06/23/87	8.1	1900		1200	110	85	180	1.6	240	260	370	370	624	1.4		<1	<1	<5	<0.2	6	<5	<1	<1			
F65	06/23/87	7.5	2000		1300	140	72	230	13	190	420	320	320	621	1.8		6	6	<5	<0.2	10	6	4	8			
F66	06/23/87	8.0	3700		2500	130	150	580	1.3	400	720	650	650	942	2.4		<1	<3	<5	<0.2	36	<5	1	<1			
F67	06/23/87	8.0	1700		1100	130	81	160	5.4	240	260	330	330	658	0.9		3	<1	<5	<0.2	4	<5	1	<1			
F68	06/23/87																										
F69	06/23/87	8.0	1900		1200	140	73	200	1.2	260	220	370	370	616	0.8		<1	<1	<5	<0.2	3	<5	1	<1	<1	<1	
F70	06/23/87	8.1	1000		610	63	41	100	0.5	150	80	210	210	319	0.4		<1	<1	<5	<0.2	5	<5	1	<1	<1	<1	
F71	06/23/87	8.0	1100		670	73	44	100	0.4	140	130	200	200	363	0.4		1	<1	<5	<0.2	6	<5	<1	<1	<1	<1	
F72	06/23/87	8.1	920		550	72	36	78	0.7	100	75	240	240	328	0.3		<1	<1	<5	<0.2	3	<5	1	<1	<1	<1	
F73	06/23/87	8.1	1400		860	85	53	160	0.8	150	190	310	310	430	0.8		<1	<1	<5	<0.2	3	<5	1	<1	<1	<1	
F74	06/23/87	8.2	1100		700	95	35	98	0.9	140	140	230	230	381	0.5		2	<1	<5	<0.2	2	<5	1	2			
F75	06/23/87	8.2	2300		1500	110	96	310	0.7	240	460	430	430	670	1.8		7	<3	<5	<0.2	7	<5	6	1			
F76	06/23/87	8.1	3400		2500	131	150	510	0.9	330	900	510	510	860	2.9		3	<3	<5	<0.2	13	<5	3	1			
F77	06/23/87	7.9	4200		3400	180	220	540	3.9	400	1300	510	510	1430	3.3		3	<3	<5	<0.2	8	<5	2	1			
F78	06/23/87	8.0	5900		5100	390	400	730	8.4	490	2500	590	590	2496	4.4		<1	5	<5	<0.2	26	20	1	2			
F79	06/23/87	7.8	8000		6800	300	380	1400	1.7	650	3700	510	510	2313	4.9		3	<3	<5	<0.2	29	6	10	2			
F80	05/05/86																2	22	36	6	<5	16	150	186	<5	20	
F81	05/05/86																<1	14	25	9	<5	<5	254	<5	29		
F82	04/03/86	7.0	5200	62													5.2	1	<10	2	<10	<10	62	<5	161	10	
F82	06/12/86	7.8	4400	64													3.1	2	<5	<5	<5	<5	8	<5	96	<5	5
F83	04/03/86	7.0	5600	62													7.1	<1	<10	14	<10	<10	8	<5	148	12	

APPENDIX B Table 6. (cont.)

RWQCB ID	DATE	Total														ug/L...											
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn
		umhos/cm	F													mg/L											
F83	06/12/86	8.1	5500	65	4800	640	96	740	4.0	910	2400	160	160	1800	5.2	1	<5	13	<5	<5	11	<5	<5	150	<5	<5	
F83	06/02/87		5520							615	1990				5.5												
F84	04/03/86	7.1	5900	61						1300	2000	170	7.4	<10	13	<10	<10										2
F84	06/12/86	8.0	6700	65	5300	710	120	1100	5.1	1250	2500	220	2100	6.4	1	<5	13	<5	<5	<5	7	<5	225	<5	11	<10	
F84	06/02/87		7310							1199	2300				5.5												
F85	04/03/86	8.1	3900	61						180	1600	130	8.0	2	<5	17	<5	<5									
F85	06/12/86	8.2	3400	66	3000	410	72	420	2.7	140	1700	120	120	2400	6.2	2	<5	5	<5	<5	26	99	<5	8	<5	<5	
F85	06/02/87		2120							86	2336				2.5												
F86	04/03/86	8.0	5200	60						440	2500	200	200	8.4	1	<5	18	<5	<5			5	35	236	<5	<5	
F86	06/12/86	8.2	3700	65	2800	310	100	400	3.6	270	1600	300	300	1300	4.8	1	<5	28	<5	<5	31	<5	69	<5	<5		
F86	06/02/87		2910							574	1421				2.8												
F87	04/03/86		12500	60						1900	5000	190	22	2	<5	22	<5	<5	<5	<5	146	429	<5	<5	<5		
F87	06/12/86	8.1	10000	64	8700	460	240	2300	9.4	31	4700	190	190	2500	20	3	<5	20	6	<5	16	115	10	310	<5	23	
F87	06/02/87		9160							735	4110				16												
F88	04/03/86		5800	60						380	3100	200	11	2	<5	13	<5	<5	<5	<5	19	100	57	<5	<5		
F88	06/02/87		5940							222	2500				10												
F89	04/03/86		9000	60						690	5300	240	21	2	<5	14	<5	<5	<5	<5	14	188	200	<5	<5		
F89	06/12/86	8.4	8200	67	7300	290	190	1800	7.1	550	3700	220	228	1500	19	3	<5	22	<5	<5	45	149	11	125	<5	<5	
F89	06/02/87		9880							715	4090				21												
F90	04/03/86		1450	60						150	810	200	200	2.5	1	<5	<5	<5	<5	<5	16	44	56	<5	<5		
F90	06/12/86	8.3	2000		1700	220	61	220	3.7	120	740	190	190	790	1.9	1	<5	7	<5	<5	40	29	6	12	<5	10	
F90	06/02/87		2790							191	950				3.6												
F91	04/03/86		7000	60						540	3500	190	13	6	<5	33	22	5	308	92	105	<5	45	4			
F91	06/12/86	7.8	22000	65	22800	410	460	610	15	2400	12000	210	210	3000	61	3	<5	12	<5	<5	14	724	12	308	<5	<5	
F91	06/02/87		14700							1364	6585				34												
F92	04/03/86		5300	60						340	2400	240	11	2	<5	22	<5	<5	<5	<5	6	86	50	<5	<5		
F92	06/12/86	8.2	5100	66	4600	380	140	885	4.6	260	2500	170	170	1500	9.8	2	<5	20	<5	<5	14	99	8	35	<5	5	
F92	06/02/87		4190							232	1730				6.5												
F93	04/03/86		6600	60						590	3400	250	14	6	<5	7	<5	<5	49	105	57	<5	11				
F93	06/12/86	8.1	5800	65	5700	560	140	870	8.7	380	3000	270	270	1800	13	7	<5	6	5	<5	34	85	8	46	<5	11	
F93	06/02/87		3730							252	1859				5.2												

APPENDIX B Table 6. (cont.)

RwQCB ID	DATE	Total mg/L												Total ug/L														
		PH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	
F94	04/03/86	7.7	5000	60	4800	450	190	820	5.5	460	1900	180	6.8	2	<5	10	<5	<5	11	53	194	<5	<5	<5	<5			
F94	06/12/86	8.3	5300	62	6000	390	200	1200	6.0	470	2400	170	170	1800	3.7	1	<5	19	<5	5	48	<5	158	<5	<5	5		
F94	06/02/87	7300								629	1602			10.4														
F95	04/03/86	8.0	4800	60	6000	390	200	1200	6.0	330	2200	130	146	1700	7.0	1	<5	<5	<5	14	<1	<5	<0.2	67	<5	279	<1	
F95	06/12/86	8.2	6700	64	6800	430	190	1200	6.8	520	3400	130	146	1700	12	1	<5	9	<5	<5	153	<5	225	<5	10	<5		
F95	06/02/87	3690								871	4805																	
F96	04/03/86	5500	60							210	1600	210																
F96	06/12/86	8.3	3500	65	2900	320	110	390	5.5	220	1500	180	180	1200	4.6	2	<5	9	<5	<5	41	<5	69	<5	<5	<5		
F96	06/02/87	10300								242	2336																	
F97	04/03/86	6800	60							600	3100	190																
F97	06/12/86	8.3	2900	68	2400	300	81	320	4.4	170	1200	200	200	1100	2.7	1	<5	8	<5	<5	94	<5	49	<5	1280			
F97	06/02/87	4240								317	2226																	
F98	04/03/86	4600	61							490	1700	190																
F98	06/12/86	8.0	4600	65	3800	380	140	670	5.2	430	1800	200	200	1500	5.5	8	<5	18	<5	<5	11	<5	<5	33	164	<5	<5	
F98	06/02/87	4090								337	2232																	
F99	04/03/86	6400	60							710	2300	240																
F99	06/12/86	8.1	4900	66	4800	510	140	640	5.1	480	2200	140	140	1800	5.7	2	<5	16	<5	<5	50	25	8	108	<5	11	<5	
F99	06/02/87	6110								624	3735																	
F100	04/03/86	5600	60							370	2300	270																
F100	06/12/86	7.9	3800	65	3400	320	110	570	4.8	210	1600	280	280	100	4.8	1	<5	8	<5	<5	12	<5	26	25	7	65	<5	6
F100	06/02/87	4040								267	2202																	
F101	04/03/86	6100	60							400	2500	210																
F101	06/12/86	8.2	6500	66	6200	430	190	1200	6.8	410	3200	170	170	1900	9.1	2	<5	26	<5	<5	11	<5	179	<5	81	<5		
F101	06/02/87	5350								322	3018																	
F102	04/03/86	7.8	6600	60	9400	65	8800	440	220	2000	9.5	690	4500	160	160	2000	17	2	<5	10	<5	<5	<5	36	5	143	<1	
F102	06/12/86	8.1	9400	65	8800	440	220	2000	9.5	440	3100	180																
F102	06/02/87	9550								760	5466																	
F103	04/03/86	4200	60							470	1700	200																
F103	06/12/86	7.9	4600	66	3700	500	150	680	5.9	500	1500	180	180	150	5.4	2	<5	18	<5	<5	18	32	<5	131	<5	8	<5	
F103	06/02/87	5480								574	2933																	

APPENDIX B Table 6. (cont.)

RwQCB ID	DATE	pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO <sub>4</sub>	HCO <sub>3</sub>	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn			
		umhos/cm	F	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L										
F104	04/03/86	6000	60	4400	380	150	760	7.8	310	2500	190	190	1500	6.3	1	<5	11	<5	24	<5	5	23	36	<5	5	<5	5			
F104	06/12/86	8.2	4900	66	4400	380	150	760	7.8	310	2500	287	1666	3.9	4	1	<5	5	<5	24	<5	5	39	<5	97	<5	<5	<5		
F104	06/02/87	3560	60	4900	380	140	890	6.5	370	2900	240	210	1600	7.9	2	<5	19	<5	5	<5	5	22	43	<5	56	<5	5	2		
F105	04/03/86	5200	60	4900	380	140	890	6.5	370	2900	240	240	1600	7.9	2	<5	19	<5	5	<5	5	28	40	8	134	<5	<5	<5		
F105	06/12/86	8.3	5500	62	4900	380	140	890	6.5	317	2389	380	2500	280	9.2	2	<5	30	<5	5	<5	5	22	43	175	<5	<5	5		
F105	06/02/87	4430	6000	60	4600	260	130	820	5.9	260	2000	210	210	1300	8.9	2	<5	31	<5	5	<5	5	28	40	8	106	3	3	3	
F106	04/03/86	6000	60	5200	65	4600	260	130	820	5.9	378	2780	840	3000	200	13	2	<5	21	<5	<5	<0.2	5	46	14	100	3	3	3	
F106	06/12/86	8.1	6130	62	6800	420	200	1500	11	790	3100	180	180	2100	14	2	<5	21	<5	<5	<0.2	5	6	44	23	115	<5	<5	<5	
F107	04/03/86	7500	62	8000	64	6800	420	200	1500	11	790	3100	846	4283	520	2300	290	7.7	1	<5	13	<5	<5	5	129	386	<5	<5	<5	
F107	06/12/86	8.3	8240	60	8900	460	260	2000	11	860	2500	220	220	2000	18	2	<5	29	<5	<5	<5	5	6	35	11	476	<5	<5	<5	
F108	04/03/86	6400	60	9400	64	8900	460	260	2000	11	790	3100	180	180	2100	14	2	<5	21	<5	<5	<0.2	5	32	8	279	2	2	2	
F108	06/12/86	8.4	7530	60	8490	715	4633	300	1900	250	7.1	2	<5	34	<5	<5	13	21	<5	<5	<5	5	9	28	122	<5	<5	<5		
F109	04/03/86	4600	60	6600	66	5300	320	140	1100	7.2	650	2300	240	240	1600	12	2	<5	16	<5	<5	<5	5	51	13	246	<5	<5	<5	
F109	06/12/86	8.4	7530	60	8490	715	4633	300	1900	250	7.1	2	<5	34	<5	<5	13	21	<5	<5	<5	5	5	54	13	228	<5	<5	<5	
F110	04/03/86	4800	60	6600	66	5300	320	140	1100	7.2	650	2300	240	240	1600	12	2	<5	16	<5	<5	<5	5	51	13	228	<5	<5	<5	
F110	06/12/86	8.1	5200	65	4400	300	140	940	6.3	300	2000	180	180	890	8.7	2	<5	11	<5	<5	<5	5	5	56	<5	133	<5	<5	<5	
F110	06/02/87	4470	6630	60	5700	64	5100	420	160	1100	6.0	340	2100	190	190	1400	11	2	<5	10	<5	<5	<5	5	49	11	133	<5	<5	<5
F111	04/03/86	5700	60	5800	64	3100	340	100	470	4.5	160	1900	120	120	1100	5.7	2	<5	10	<5	<5	<5	5	37	49	11	133	<5	<5	24
F111	06/12/86	8.3	3500	66	6300	430	180	1100	6.2	350	2400	130	130	2000	14	2	<5	42	<5	<5	<5	5	68	56	41	228	<5	<5	34	
F111	06/02/87	4060	6630	60	4800	60	540	2600	190	2000	473	4062	262	2779	12	37	2	<5	<5	<5	<5	<0.2	5	69	<5	102	54	<5	<5	
F112	04/03/86	7620	60	6800	64	6300	430	180	1100	6.2	629	2990	570	2500	190	12	1	<5	48	<1	<5	<0.2	5	100	<5	342	1	1	1	
F112	06/12/86	8.0	7620	60	6800	64	6300	430	180	1100	6.2	629	2990	570	2500	190	12	1	<5	48	<1	<5	<0.2	5	56	<5	146	<5	<5	<5
F113	04/03/86	7000	60	4800	60	540	2600	190	2000	473	4062	262	2779	12	37	2	<5	<5	<5	<5	<0.2	5	69	<5	102	54	<5	<5		
F113	06/12/86	8.2	7620	60	6800	64	6300	430	180	1100	6.2	629	2990	570	2500	190	12	1	<5	48	<1	<5	<0.2	5	100	<5	342	1	1	1
F114	04/03/86	6400	60	6400	60	570	2500	190	2000	473	4062	262	2779	12	37	2	<5	<5	<5	<5	<0.2	5	69	<5	102	54	<5	<5		

APPENDIX B Table 6. (cont.)

RWQCB ID	DATE	mg/L												ug/L													
		pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Total	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	
F114	06/12/86	8.2	6700	65	6100	490	180	1200	8.8	510	3500	160	1800	13	2	<5	26	<5	<5	70	<5	190	<5	<5	<5		
F114	06/02/87	4860								413	3147			5.6		12	<1	<0.2	40	<5	72						
F115	04/03/86	6600	60							690	2300	150		12	2	<5	28	<5	<5	76		334		<5	<5		
F115	06/12/86	8.2	7900	64	7200	460	190	1400	7.3	880	3400	140	2000	15	2	<5	40	<5	<5	28	<5	475	<5	<5	<5		
F115	06/02/87	11700								1450	4370			19		49	<1	<5	<0.2	79	<5	656		2			
F116	04/03/86	13500	60							2280	4750	150		35	2	<5	49	<5	<5	97		570	<5	<5	<5		
F116	06/12/86	8.0	15000	64	13000	580	290	3100	11	2400	5100	150	2700	44	2	<5	53	<5	<5	103	<5	592	<5	<5	<5		
F116	06/02/87	12100								2138	4015			29		130	<1	<5	2.3		56	<5	592		2		
F117	06/02/87	19400								3620	6220			48		82	<1	<5	<0.2	89	<5	1067		<1			
F118	06/02/87	7380								992	2110			16.2		100	<1	<5	18	<5	159		<1				
* F119	04/03/86	5900	62							490	3100			8.6	1	<5	15	<5	<5	19	28	184	<5	<5	<5		
* F119	06/12/86	8.1	4400	67	3800	330	120	720	5.1	240	1800	200	200	1100	5.6	1	<5	12	<5	<5	25	28	7	107	<5	14	
* F119	06/02/87	4290								272	2307			4.8		6	<1	<5	<0.2	23	<5	102	<1				
* F120	04/03/86	4100	62							420	1700			230		5.4	2	<5	10	<5	<5	214	27	90	<5	15	
* F120	06/12/86	5.1	400	63	340	36	5	15	13	21	27			110	0.8	4	<5	19	10	<5	122	<5	13	<1	<5	17	
* F120	06/02/87	3470								715	1602			4.2		3	<1	<5	<0.2	34	<5	91	<1				
* F121	04/03/86	1250	68							68	500			120	2.0	5	<5	11	11	<5	55	15	6	<5	13		
* F121	06/02/87	1530								136	757			12		1	1	<5	<0.2	16	<5	5	1				
F122	06/02/87	3420								297	1520			4.1		3	<1	<5	0.5	31	<5	88	1				
F123	06/23/87	7.6	7800		5700	500	190	1000	3.3	1400	2200			280	2100	15	60	<3	8	2.1	6	<5	27	3			
F124	06/23/87	7.6	7600		5700	390	200	1100	3.4	1200	2500			240	1800	18	51	3	<5	1.9	15	<5	28	3			
F125	06/23/87	7.4	10000		7400	510	240	1500	4.6	1900	2500			210	2300	21	63	6	<5	4.0	13	<5	48	5			
F126	06/23/87	7.7	9800		7400	440	200	1400	2.9	1600	2800			190	2000	22	100	<1	<5	1.9	11	<5	41	4			
F127	06/23/87	7.5	5100		3800	340	120	620	2.6	760	1400			220	1300	10	45	<3	6	0.9	8	<5	20	<1			
F128	06/23/87	7.8	4800		3500	250	80	680	2.0	600	1400			160	900	11	65	<3	<5	<0.2	6	<5	14	1			
F129	06/23/87	7.7	4800		3500	380	86	470	2.8	720	1200			150	1500	6.6	28	<3	7	<0.2	2	<5	57	5			
F130	06/23/87	7.9	3600		2400	210	54	420	2.4	560	800			170	760	7.5	43	2	<5	<0.2	2	<5	10	2			
F131	06/23/87	8.0	3700		2500	180	51	520	2.7	560	900			170	670	7.4	46	<3	6	<0.2	5	<5	18	5			
F132	06/23/87	7.9	3600		2600	190	59	510	1.8	480	1100			160	740	7.7	68	<3	6	<0.2	6	<5	30	1			
F133	06/23/87	7.8	4700		3500	280	78	610	2.7	600	1300			140	1100	11	120	<3	<5	<0.2	11	<5	30	2			
F134	06/23/87	7.5	8000		6000	520	160	1100	3.7	1400	2300			160	2000	16	68	<3	<5	<0.2	10	<5	50	5			

APPENDIX B Table 6. (cont.)

RWQCB ID	DATE	pH EC umhos/cm	TEMP F	mg/L										ug/L												
				TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Ni	No	Se	Ag	Zn
F135	06/23/87	7.7	3600	2400	220	54	410	2.5	600	860	140	790	8.7	39	<5	<0.2	2	<5	13	1	40	<5	406	2		
F136	06/23/87	7.6	10000	8000	490	260	1500	4.2	1300	2500	230	2300	23	99	<3	<5	1.4	40	<5	406	2	40	<5	133	3	
F137	06/23/87	7.6	7600	5800	380	180	1100	4.6	790	2800	290	1700	11	27	<5	<5	<0.2	43	<5	133	3	43	<5	233	4	
F138	06/23/87	7.8	7200	5900	470	200	950	3.4	640	3000	140	2000	10	19	<5	<5	<0.2	51	<5	233	4	51	<5	43	2	
F139	06/23/87	7.7	3900	3100	320	77	440	3.4	440	1300	160	1200	7.6	82	<5	<5	<0.2	2	<5	43	2	2	<5	43	2	
F140	06/23/87	7.5	8500	7100	450	200	1200	4.2	1000	2900	240	2100	14	120	<5	<5	<0.2	25	<5	549	2	25	<5	549	2	
F141	06/23/87	7.7	8500	7100	480	210	1300	4.8	1000	3200	280	2000	13	34	6	<5	<0.2	34	7	736	3	34	6	81	8	
F142	06/23/87	7.6	5700	4700	350	140	740	5.8	530	2200	270	1500	7.2	15	<5	<5	<0.2	29	6	81	8	29	<5	1332	5	
F143	06/23/87	7.7	14000	12000	580	250	2500	6.4	2000	4600	220	2500	28	48	<5	<5	<0.2	51	<5	1332	5	51	<5	1332	5	
F144	06/23/87	7.7	23000	18000	510	290	4000	8.2	3000	7000	310	2500	49	47	4	<5	<0.2	80	<5	2812	6	80	<5	2812	6	
F145	06/23/87	8.1	3200	2200	160	64	400	5.9	480	840	110	650	3.9	19	9	<5	<0.2	3	11	190	25	3	<5	190	25	
F146	06/23/87	7.7	3600	2600	270	62	380	2.4	430	1000	150	990	7.8	69	<5	<5	<0.2	3	<5	24	1	28	6	269	5	
F147	06/23/87	7.6	5600	4500	440	120	540	2.8	760	1700	140	1800	9.6	79	<3	7	<0.2	2	<5	59	3	23	<5	314	2	
F148	06/23/87	7.6	8300	6900	500	200	1200	4.5	900	3100	220	2000	12	79	12	8	<0.2	24	5	583	5	24	5	583	5	
F149	06/23/87	7.6	6400	5400	420	160	930	4.4	560	2600	240	1700	9.2	20	1	<5	<0.2	28	6	269	5	28	6	269	5	
F150	06/23/87	7.8	6200	5100	390	150	820	3.8	640	2200	200	1600	7.4	10	<3	<5	<0.2	23	<5	314	2	23	<5	314	2	
F151	06/23/87	7.4	5100	4100	340	120	580	8.3	490	1800	160	1400	10	49	29	14	<0.2	2	45	66	80	2	45	66	80	
F152	06/23/87	7.9	7200	6100	530	180	1000	4.9	800	2800	230	2100	8.0	15	<3	<5	<0.2	10	<5	242	3	10	<5	242	3	
F153	06/23/87	7.9	2300	1700	46	180	2.1	160	840	140	790	3.3	2	<3	<5	<0.2	5	<5	5	1	66	1	66	1		
F154	06/23/87	7.8	6400	5400	440	180	820	4.6	680	2500	200	1900	12	12	<3	<5	<0.2	6	<5	121	2	6	<5	121	2	
F155	06/23/87	7.7	7800	6500	500	190	1000	7.8	800	2600	290	2100	11	10	<3	6	<0.2	11	7	368	3	11	<5	368	3	
F156	06/23/87	7.6	5500	4100	340	91	760	2.8	630	1700	180	1200	13	66	1	<5	<5	8	<5	45	3	8	<5	45	3	
F157	06/23/87	8.0	6200	5300	470	160	760	3.6	560	2400	260	1900	6.5	16	<3	<5	<0.2	10	<5	237	3	10	<5	237	3	
F158	06/23/87	7.8	5100	3600	350	100	550	3.1	820	1400	180	1400	9.0	28	3	<5	<0.2	4	<5	41	4	28	3	<5	41	4
F159	06/23/87	7.9	3600	2400	140	69	480	4.4	450	1000	150	630	9.2	11	6	<5	<0.2	18	12	12	12	18	12	12	12	
F160	06/23/87	8.0	2900	1900	170	42	330	3.4	420	660	140	600	6.0	35	4	<5	<0.2	2	5	11	6	2	5	11	6	
F161	06/23/87	7.4	1500	910	96	24	160	5.2	220	320	92	350	2.5	22	9	6	<0.2	1	17	7	21	1	17	7	21	
F162	06/23/87	7.3	5000	3700	260	110	700	9.6	540	1500	220	1100	7.3	25	8	<5	<0.2	11	17	284	22	11	<5	284	22	
F163	06/23/87	7.4	2000	1300	120	45	220	9.4	200	550	140	500	1.9	12	9	<5	<0.2	6	12	54	19	6	12	54	19	
F164	06/23/87	7.7	1100	660	60	24	130	7.6	140	200	100	230	1.6	35	21	6	<0.2	1	26	38	70	1	26	38	70	
F165	06/23/87	7.8	1400	930	88	32	180	8.3	180	350	120	320	1.6	70	52	14	<0.2	1	69	38	150	1	69	38	150	

APPENDIX B Table 6. (cont.)

RWQCB ID	DATE	Total												Total					Total								
		PH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SD4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn
		µhos/cm	F																								µg/L
F166	06/23/87	8.0	3900		2700	200	68	480	2.5	550	1000	190	810	7.8	30	3	<5	<0.2	5	<5	16	7					
F167	06/23/87	7.8	3500		2500	220	69	420	5.5	490	1000	160	840	6.7	58	17	8	<0.2	3	30	47	45					
F168	04/03/86	4400	71							500	1700			5.8	<10	18	<10		5	<5	53	15					
F168	06/12/86	8.0	4600		3900	530	85	510	4.4	470	1900	130	130	1900	6.1	1	<5	23	<5	10	<5	47	<5	<5			
F168	06/02/87	4720								510	1520			7.2		15	<1	<5	<0.2	4	<5	51	<1				
F169	04/03/86	4600	71							560	1500			5.6	<1	10	27	<10	<10		4	<5	62	<5	<10		
F169	06/12/86	8.1	4200		3500	450	92	990	3.8	500	1600	110	110	1700	5.1	<1	<5	34	<5	6	<5	54	<5	<5			
F169	06/02/87	4590								560	1400			5.9		24	<1	<5	<0.2	4	<5	58		3			
F170	04/03/86	4800	65							810	1400			6.4	<10	22	<10	<10		5	<5	106	<10				
F170	06/12/86	8.0	4700		3700	440	90	430	4.1	840	1200	120	120	1700	6.2	<1	<5	32	<5	<5	<5	97	<5	<5			
F170	06/02/87	5140								910	1240			5.8		25	<1	<5	<0.2	5	<5	120		3			
F171	04/03/86	5200	65							730	1600			4.9	2	<10	10	<10	<10		5	<5	126	14			
F171	06/12/86	8.0	4700		4000	540	80	500	3.9	670	1700	120	120	1700	4.0							5	<5				
F171	06/02/87	4520								580	1380			4.4		5	<1	<5	<0.2	5	<5	89		1			
F172	04/03/86	6800	64							950	2200	100	100	2100	8.3	1	<10	8	<10	<10		5	<5	167	21		
F172	06/12/86	8.0	7000		5900	620	140	1100	6.1	940	2700	100	100	2100	7.8	1	<5	12	<5	<5	<5	6	<5	199	<5	<5	
F172	06/02/87	7300								940	2680			7.5		4	<1	<5	<0.2	5	<5	150		1			
F173	04/03/86	4700	64							700	1600			7.9	<1	<10	29	<10	<10		10	<5	46	11			
F173	06/12/86	8.3	4500		3700	440	87	480	3.5	700	1600	120	120	1600	7.1	<1	<5	34	<5	<5	<5	10	<5	40	<5	<5	
F173	06/02/87	4260								720	1230			8.0		27	<1	<5	<0.2	9	<5	46		<1			
F174	04/03/86	6200	64							1300	2400	130	130	2400	4.7	<1	<10	37	<10	<10		8	<5	124	10		
F174	06/12/86	8.5	6400		5200	730	99	650	5.4	1100	2100	100	140	2200	9.0	<1	<5	30	<5	<5	<5	6	<5	139	<5	<5	
F174	06/02/87	7540								1184	2180			10		26	<1	<5	<0.2	6	<5	148		<1			
F175	04/03/86	6600	63							1400	2600			160	3.5	1	<10	5	<10	<10		5	<5	307	20		
F175	06/12/86	8.2	9200		7100	690	170	1400	7.6	1700	3000	180	180	1800	10	1	<5	6	<5	<5	<5	7	<5	281	<5	<5	
F175	06/02/87	9170								1454	2980			8.1		5	<1	<5	<0.2	7	<5	267		1			
F176	04/03/86	8200	64							1300	2400	170		3.3	<1	<10	9	<10	<10		4	<5	285	13			
F176	06/12/86	7.9	7000		5700	790	130	960	5.7	1300	2300	170	170	2100	6.2	2	<5	<5	<5	<5	<5	7	<5	263	<5	<5	
F176	06/02/87	7540								1434	2125			4.8		8	<1	<5	<0.2	4	<5	263		1			
F177	04/03/86	6000	66							1100	2500	160		3.2	<1	<10	9	<10	<10		5	<5	204	11			
F177	06/12/86	8.0	6400		4450	730	120	880	5.0	1200	2200	130	130	2400	5.8	1	<5	14	<5	<5	7	<5	141	<5	<5		

APPENDIX B Table 6. (cont.)

RWQCB ID	DATE	Total .mg/L.....						Total .ug/L.....																				
		pH	EC umhos/cm	TEMP F	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	
F177 06/02/87		4540			640	1270				2.8			5	<1	<5	<0.2		6	<5	111							1	
F178 04/03/86		4700	63		64	4800	670	140	880	5.0	940	2300	150	150	1800	180	5.4	<1	<10	31	<10							10
F178 06/12/86	8.1	6000	64		64	2600	460	87	410	3.7	340	1900	170	130	1100	170	5.4	<1	<10	19	<10							10
F179 04/03/86		3100	64		63	3500	410	1400	130	405	1375		130	1100	130	5.8	<1	<5	27	<5	<5	<5	<5	<5	<5	<5	11	
F179 06/12/86	8.0																											
F179 06/02/87		3950																										
* F180 04/03/86		3800	70																									
* F180 06/02/87		3070																										
F181 06/02/87		5335																										
F182 04/03/86																												

\* Open Drain

APPENDIX B Table 7. Subsurface Tile Drainage Physical Properties and Chemical Concentrations.  
 Zone G - Open Water Ways  
 San Joaquin River

RWQCB ID	DATE	pH Units/cm	EC µhos/cm	TEMP F	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	Total mg/L.....ug/L.....					
G1	04/02/86		65							3	4	22	0.5														<1						
G1	06/16/86		230	77						20	16	60	<0.1														2	4	<1	5			
G1	06/01/87		1000							146	75		0.2														8	1					
G2	04/02/86		165	58						16	48	38	0.2																				
G2	06/01/87		764							110	102		0.4														2		3				
G3	04/02/86		185	58						20	58	38	0.3																	<1			
G3	06/16/86		290	69						30	36	40	0.1																		6		
G3	06/01/87		714							86	85		0.4																				
G4	04/02/86		175	58						18	48	38	0.3																				
G4	06/16/86		330	70						42	44	70	0.2																		7		
G4	06/01/87		961							136	125		0.6																		4		
G5	04/02/86		225	61						24	61	44	0.2																	<1			
G5	06/01/87		1260							151	210		0.9																		5		
G6	04/02/86		150	60						23	64	40	0.3																	<1			
G6	06/16/86		600	75						70	96	100	0.1																				
G6	06/01/87		1290							181	210		0.9																			5	
G7	04/02/86		190	60						21	48	40	0.5																				
G7	06/16/86		600	75						67	98	100	0.2																		3		
G7	06/01/87		1210							166	180		0.9																				
G8	04/02/86		55	59						60	160	70	0.7																		2		
G8	06/16/86		890	76						100	160	116	0.6																				
G8	06/01/87		740	60						5	5	36	2.6																		15		
G9	04/02/86		590	78						66	95	100	0.1																		6		
G9	06/16/86		1590							206	315		1.5																			16	
G9	06/01/87																																10

APPENDIX B Table 7. (cont.)

## Grasslands

RWQCB ID	DATE	pH umhos/cm	EC F	TEMP F	TDS	Ca	Mg	Na	K	Cl	SO4	HC03	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	Total mg/L		.....ug/L						
																												.....ug/L								
G10	04/02/86	3100	56			360	890			2.1																		2	5	5						
G10	06/01/87	2140				237	530			24	0.0																45	19	8	36	<1	43				
G11	04/02/86	360	59			2	5																						15	<10	<10	6	8	125		
G12	04/03/86	5900	57			890	1700			150	7.5																13	15	5	<0.5	4	39				
G12	06/16/86	7.9	2900	69	2100	200	52	280	5.8	350	840	120	850	2													5.5	50	22	15	2	37				
G12	06/01/87	3610																																	60	
G13	04/02/86	3200	57			380	1000			110	5.2																						76			
G13	06/01/87	2690				297	790																											59		
G14	04/03/86	3200	57			320	1200			120	4.9																						41			
G14	06/16/86	8.1	1900	68	1300	96	37	210	5.0	140	560	120	410	2.4																		10				
G14	06/01/87	2320				235	630																											35		
G15	04/03/86	3800	56			590	1100																										40			
G15	06/16/86	7.4	3200	66	2400	220	57	290	2.9	400	940	100	950	3.1																		40				
G15	06/01/87	3180				445	950																											35		
G16	04/02/86	6400	59			<4	540			20	0.0																						<1			
G17	04/02/86	4000	58			660	1500			150	6.8																						64			
G17	06/01/87	3210				420	900																												38	
G18	04/03/86	4200	58			310	640			170	8.7																							23		
G18	06/16/86	8.0	3100	66	1800	180	54	320	5.5	380	740	150	770	5.4																		6				
G18	06/01/87	3400				445	900																											50		
G19	04/03/86	6400	59			550	1200			190	16.0																						14			
G19	06/16/86	8.1	3300	68	1900	200	75	400	3.8	240	1200	190	760	7.4																		11				
G19	06/01/87	2700				295	790																											11		
G20	04/02/86	2800	59			280	920			120	9.4																						3			
G20	06/01/87	1910				195	510																											3		
G22	04/02/86	2900	60			380	940																											3		
G22	06/16/86	7.6	2300	70	1500	160	44	240	4.3	260	610	100	550	3.3																		33				
G22	04/02/86	1100	62			900	250																											19		
G23	06/16/86	1100	69			100	200																											<1		
																																				4

APPENDIX B Table 7. (cont.)

## Grasslands

RHQCB ID	DATE	pH umhos/cm	EC F	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	
																										Total mg/L.....ug/L.....	
G23	06/01/87	264.0			295	650						3.9															4
G24	04/02/86	270.0	60		370	870	150			5.5																	27
G25	04/03/86	2600	62		320	820	140	4.7	4	<10	27	15	<10													36	
G26	04/03/86	2400	64		500	510	160			1.2																6	
G26	06/01/87	1140			176	140			0.5																	4	
G27	04/02/86	710	61		88	130	98	0.5																		2	
G27	06/16/86	640	77		61	110	110	0.1																		23	
G27	06/01/87	838			121	105		0.3																		3	
G28	04/03/86	1800	63		230	430	140	4.4	5	<10	10	<10	<10												11		
G28	06/01/87	1560			196	340				1.6															9		
G29	04/02/86	2100	61		280	580	152	2.9																	12		
G29	06/16/86	870	77		100	150		0.5																	23		
G29	06/01/87	1570			201	370				1.5															2		
G31	04/02/86	680	63		82	220	110	0.8																	13		
G32	04/02/86	145	61		12	27	48			0.4															1		
G33	04/02/86	165	60		11	42	48			0.5															<1		
G34	04/02/86	1650	64		220	600	290			2.5															1		
G35	04/02/86	1700	68		220	710	320			2.3															3		
G36	04/02/86	2600	62		330	1000	160			4.9															4		
G37	04/02/86	1450	62		220	760	200			2.4															<1		
G38	04/02/86	1650	66		400	980	210			3.0														10			
G39	04/03/86	1000	62		130	460	100	1.0	4	<10	5	<10	<10											4			
G39	06/16/86	2300	78		270	630	2300	3.1			18	4	<5	<0.5										5			
G39	06/01/87	2620			337	610				3.5														11			
G40	04/03/86	1690	64		260	600	290			3.3														1			
G40	06/01/87	1320			171	250				1.1														1			
G41	04/02/86	1000	64		140	230	130			4.0														3			
G41	06/01/87	2450			307	515				2.7														11			
G42	04/02/86	640	60		55	180				0.4														1			
G43	04/02/86	4300	62		200	1600				7.8														<1			

APPENDIX B Table 7. (cont.)

Westside Creeks

RWQCB	ID	DATE	pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Total	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn
				umhos/cm	F									mg/L													ug/L
G44	04/02/86	8.1	9700	62	7000	482	458	602	18	120	3200	350	350	3000	2.6											51	
G44	06/11/86	8.3	8900	74	10500	430	1000	1100	20	170	6200	300	300	5100	5.9	5	<10	<2	<10	23	8	<5	31	21			
G46	04/02/86	8.3	1600	53	1000	101	50	171	5.8	110	400	290	290	500	2.8											2	
G46	06/11/86	8.1	1800	67	1200	50	49	220	6.0	160	460	260	260	440	3.9	4	<10	<2	<10	<2	5	<5	1	<10			
G47	04/02/86	8.2	4000	63	3400	228	100	446	8.3	140	1900	240	240	1200	1.8										14		
G47	06/11/86	8.2	4500	75	4300	310	220	530	4.5	110	2600	180	180	1800	2.6	3	<10	<2	<10	<2	5	<5	13	<10			
G47	05/13/87																									7	
G48	04/02/86	7.9	4300	49	3800	355	197	524	3.2	370	2400	300	300	1840	1.0										13		
G49	04/02/86	8.1	980	59	620	39	95	53	2.1	19	160	340	340	500	0.5										1		
G49	06/11/86	8.8	1100	74	790	98	6	83	4.0	30	280	340	404	570	1.1										2		
G49	05/13/87																									1	
G51	04/02/86	8.3	1000	64	680	61	52	87	3.6	52	340	210	210	360	0.4										<1		
G52	04/02/86	8.2	860	62	600	63	32	76	4.1	39	190	210	210	260	0.9										<1		
G52	06/11/86	8.5	920	76	650	30	55	79	4.4	44	230	152	160	310	1.2	2	<10	<2	<10	<2	2	<5	1	<10			
G53	04/02/86	8.4	1600	62	1100	69	65	197	5.7	93	400	270	314	440	4.5										3		
G53	06/11/86	8.6	2700	74	1900	76	120	400	10	170	990	210	320	630	7.0	2	<10	<2	<10	<2	4	<5	6	10			
G54	04/02/86	8.2	1000	54	610	63	36	115	2.4	97	110	300	320	610	2.3										3		
G54	06/11/86	8.5	1500	68	910	24	43	240	2.6	210	170	290	290	280	4.9	1	<10	<2	<10	2	2	<5	4	11			
G54	05/13/87	8.6	580	87	360	47	30	35	3.8	34	57	160	176	220										3			
G55	06/11/86																									<10	
G57	04/02/86	8.2	1700	58	1200	113	63	171	12	130	470	280	280	580	2.9										2		
G58	04/02/86	7.9	2100	47	1200	110	46	246	4.1	520	170	230	230	460	8.5										<1		
G58	06/11/86	8.3	1700	84	940	86	40	210	5.8	300	120	200	200	340	5.7	2	<10	<2	<10	2	4	<5	1	12			
G58	05/13/87																									1	
G59	04/03/86																									<10	
G59	06/11/86	8.4	1800	52	590	65	42	81	2.7	62	140	260	272	360	1.6	3	<10	<2	<10	<2	2	<5	1	<10			
G59	05/13/87																									<1	
G60	04/02/86	8.3	980	52	590	65	42	81	2.7	62	140	260	272	360	1.6	3	<10	<2	<10	<2	2	<5	5	<5			
G60	06/11/86	8.3	1200	67	780	30	45	130	4.4	110	200	250	340	3.2	<1	<10	<2	<10	<2	2	<5	5	<5				

APPENDIX B Table 7. (cont.)

Westside Creeks

ID	DATE	pH	EC	TEMP	TDS	Ca	Mg	Na	K	Cl	SO4	HCO3	Alk	Hard	B	As	Cd	Cr	Cu	Pb	Hg	Mn	Mo	Ni	Se	Ag	Zn	Total		mg/L		ug/L	
G61	05/13/87																													15			
G62	04/02/86	8.4	940	63	640	66	49	62	3.6	31	300	220	232	330	0.3	<1	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10	<10	<10	<10				
G62	06/11/86	8.2	1100	76	790	100	61	73	9.3	31	360	180	180	400	0.3	<1	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10	<10	<10					
G63	04/03/86	8.3	5700	68	4300	190	280	800	4.5	1200	1600	410	410	1500	5.7	1	<10	<2	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10					
G63	06/11/86	8.2	6000	82	4500	180	260	940	7.6	1000	1600	380	380	1500	5.9	2	<10	<2	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10					
G63	05/13/87																													6			
G64	04/03/86		4400																											2	98	8	
G65	04/03/86		1000																											2	5	2	
G66	04/03/86		860																											2	5	1	
G66	06/11/86	8.4	1100	84	620	57	43	120	2.7	160	75	270	278	300	2.3	1	<10	<2	<10	<10	<2	<10	<2	<10	<2	<10	<2	<10					
G67	04/02/86	8.2	1900	60	1400	97	99	180	4.3	53	600	270	270	630	0.8	2	<10	<2	<10	<2	<10	<2	<10	<2	<10	<2	<10	<2					
G67	06/11/86	8.2	2700	73	2100	140	140	280	7.0	62	1200	240	240	1900	1.3	2	<10	<2	<10	<2	<10	<2	<10	<2	<10	<2	<10	<2					
G67	05/13/87																													2			
G68	04/02/86	8.2	3000	48	2200	192	107	332	7.4	250	1000	180	180	1040	5.0	2	<10	15	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10					
G69	04/03/86		3700																											4	82	7	



